

RECOVERY ORIENTED SYSTEMS OF CARE BIBLIOGRAPHY
Compiled by IRETA and the Northeast ATTC
July 2010

KEY RESOURCES

- Belleau, C., DuPont, R., Erickson, C., Flaherty, M., Galanter, M., Gold, M., Kaskutas, L., Laudet, A., McDaid, C., McLellan, A. T., Morgenstern, J., Rubin, E., Schwarzlose, J., & White, W. (2007). What is recovery? A working definition from the Betty Ford Institute. *Journal of Substance Abuse Treatment*, 33(3), 221-228.
- Boyle, M. (2007) *Front line implementation of recovery management principles* [Web Page].
http://www.facesandvoicesofrecovery.org/pdf/recovery_symposium/GLATTCInterviewBoyle.pdf
- Center for Substance Abuse Treatment. (2007) National Summit on Recovery: conference report. DHHS Publication No. SMA 07-4276. Rockville, MD: Substance Abuse and Mental Health Services Administration. From <http://www.rcsp.samhsa.gov/resources/index.htm#summit> [accessed 4/20/2010].
- Clark, W. (2007) *Recovery as an Organizing Concept*.
<http://www.glattc.org/Interview%20With%20H.%20Westley%20Clark,%20MD,%20JD,%20MPH,%20CAS,%20FASAM.pdf>
- Clark, W. (2008). Recovery-Oriented Systems of Care: SAMHSA/CSAT's Public Health Approach to Substance Use Problems & Disorders. *Aligning Concepts, Practice, and Contexts to Promote Long Term Recovery: An Action Plan* Philadelphia, PA: IRETA.
- Clark, Westley H. (2008). *Recovery Oriented Systems of Care: SAMHSA/CSAT's Public Health Approach to Substance Use Problems & Disorders*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html.
- Condon, Timothy P. (2008) *A Recovery Research Agenda: Where We Are and Where We Want to Go* [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html.
- Connecticut Department of Mental Health and Addiction Services. (2006) *Practice Guidelines for Recovery-Oriented Behavioral Health Care*
<http://www.ct.gov/dmhas/lib/dmhas/publications/practiceguidelines.pdf> [access date].
- Evans, A. (2007) The recovery-focused transformation of an urban behavioral health care system.
<http://www.glattc.org/Interview%20With%20Arthur%20C.%20Evans,%20PhD.pdf>
- Faces and Voices of Recovery: Guide to Mutual Aid resources (June 2010)
<http://www.facesandvoicesofrecovery.org/resources/support/index.html>
- Flaherty, M.T. (2006). A unified vision for the prevention and management of substance use disorders: Building resiliency, wellness and recovery—a shift from an acute care to a sustained care recovery management model. Pittsburgh, PA: Institute for Research, Education and Training in Addictions.[access date]
- Flaherty, Michael T. (2009) *Why building recovery-oriented systems of care is more than a passing fad*. Retrieved from http://www.ireta.org/ireta_main/recovery-is-not-just-a-movement.html.
- Haberle, Beverly J. (2008) *Recovery Oriented Systems of Care-Perspectives from Cities and States*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html
- Heaps, Melody M. (2008). *Systematizing Recovery Management in the Criminal Justice System*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html
- Institute of Medicine (2001). *Crossing the Quality Chasm*. Washington, DC: National Academy of Science.
- Institute of Medicine (2006). *Improving the Quality of Health Care for Mental and Substance-Use Conditions*. Washington, DC: National Academy of Science.
- Kaplan, L. (2008). *The role of recovery support services in recovery-oriented systems of care: DHHS Publication No. (SMA) 08-4315*. Rockville, MD: Center for Substance Abuse Treatment, Substance Abuse and Mental Health Services Administration.
- Kirk, T. (2007) Creating a Recovery-Oriented system of care

- <http://www.glattc.org/Interview%20With%20Thomas%20A.%20Kirk,%20Jr.,%20PhD.pdf> [access date].
- Kirk, T., Evans A., and Dailey, W. (2005). Implementing a Statewide Recovery--Oriented System of Care: From Concept to Reality. Retrieved from <http://www.ct.gov/dmhas/LIB/dmhas/presentations/2.6.05.pdf>
- Laudet, A. B. (2007). What does recovery mean to you? Lessons from the recovery experience for research and practice. *Journal of Substance Abuse Treatment*, 33(3), 243-56.
- Laudet, A. B., & White, W. (2010). What are your priorities right now? Identifying service needs across recovery stages to inform service development. *Journal of Substance Abuse Treatment*, 38(1), 51-9.
- Laudet, A. B., Stanick, V., & Sands, B. (2009). What could the program have done differently? A qualitative examination of reasons for leaving outpatient treatment. *Journal of Substance Abuse Treatment*, 37, 182-190.
- Laudet, A., Flaherty, M., & Langer, D. (2009). *Building the science of recovery*. Pittsburgh, PA: IRETA. <http://www.attcnetwork.org/learn/topics/roscc/docs/buildingthescience.pdf>
- Legal Action Center. (2007). Recovery Support Services Oversight and Diversification: Existing and Emerging Practices and Recommendations for Next Steps. Final Report to SAMHSA. Unpublished report presented at the Recovery Support Services Meeting "Lessons Learned and Future Directions" in Fort Lauderdale, FL, January 22-23, 2007.
- O'Connell, M., Tondora, J., Croog, G., Evans, A., & Davidson, L. (2005). From rhetoric to routine: Assessing perceptions of recovery-oriented practices in a state mental health and addiction system. *Psychiatric Rehabilitation Journal*, 28(4), 378-386.
- Onken, S., Dumont, J., Ridgway, P., Dornan, D., & Ralph, R. (2002). *Mental Health Recovery: What Helps and What Hinders? A National Research Project for the Development of Recovery Facilitating System Performance Indicators*. Alexandria, VA : National Association of State Mental Health Program Directors.
- Pennsylvania Drug and Alcohol Coalition. Recovery Oriented System of Care: A Recovery Community Perspective. (White Paper). Retrieved from http://www.facesandvoicesofrecovery.org/pdf/White/roscc_community_perspective_2010.pdf
- Recovery-Oriented Systems of Care – Perspectives from Cities and States. Recovery Symposium, Phila, 2008). Retrieved from: http://www.ireta.org/ireta_main/philly/IRETARecoverSymposium2008.ppt
- Sheedy, C. K., & Whitter M. (2009). *Guiding Principles and Elements of Recovery-Oriented Systems of Care: What Do We Know From the Research? HHS Publication No. (SMA) 09-4439*. Rockville, MD: Center for Substance Abuse Treatment, Substance Abuse and Mental Health Services Administration.
- Tondora, J., & Davidson, L. (2006). Practice guidelines for recovery-oriented behavioral health care. Hartford, CT: Connecticut Department of Mental Health and Addiction Services.
- White W. (2005) *Recovery Management: What if we really believed that addiction was a chronic disorder?* [Web Page]. URL http://www.glattc.org/bulletins/Recovery_Management_Final_Oct_05.pdf [2008, February 13].
- White, W. & Kurtz, E. (2006b). *Linking Addiction Treatment and Communities of Recovery: A Primer for Addiction Counselors and Recovery Coaches*. Pittsburgh, PA: IRETA/NeATTC
- White, W. (1996). *Pathways from the culture of addiction to the culture of recovery: A travel guide for addiction professionals*. (2nd ed.). Center City, MN: Hazelden.
- White, W. (2002). An Addiction Recovery Glossary: The Languages of American Communities of Recovery. Retrieved from: www.bhrm.org/advocacy/add-rec-glossary.pdf.
- White, W. (2006). *Sponsor, Recovery Coach, Addiction Counselor: The Importance of Role Clarity and Role Integrity*. (Monograph) Philadelphia, PA: Philadelphia Department of Behavioral Health.
- White, W. (2008). *Recovery Management and Recovery-oriented Systems of Care: Scientific Rationale and Promising Practices*. Pittsburgh, PA: Northeast Addiction Technology Transfer Center, Great Lakes Addiction Technology Transfer Center, Philadelphia Department of Behavioral Health & Mental Retardation Services .
- White, W. (2009). *Recovery Management and Recovery-oriented Systems of Care. Counselor*, (10)1 February 2009.

- White, W., Boyle, M., Loveland, D., & Corrington, P. (2005) *What is Behavioral Health Recovery Management? A Brief Primer* [Web Page]. URL www.addictionmanagement.org/recovery%20management.pdf [2008, February 13].
- White, W.L. (2007). A recovery revolution in Philadelphia. *Counselor*, 8(5), 34–38.
- White, William L. (2008) *Recovery: A Systems Perspective*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html

RELEVANT RESEARCH ARTICLES: CATEGORIES

Note to reader: Some articles appear in more than one category

NATURE OF ADDICTION

RECOVERY

- Recovery experiences and paths
- Recovery from mental health (MH) field
- Functioning other than substance use (e.g., employment, quality of life)

RECOVERY RESOURCES

- Twelve Step
- Peer-based and family support
- Faith/Spirituality/Religion
- Treatment: general (tx)
- Treatment: Medication-assisted
- Continuing care and Recovery services models
- Recovery Homes and Sober Houses

SPECIAL POPULATIONS

- Criminal justice
- Women/gender differences
- LGBTQ
- Ethnic/racial minorities
- Youth and adolescents
- Older people
- Co-occurring/Dual diagnosis

NATURE AND COURSE OF ADDICTION

- Dennis, M. L., Scott, C. K., Funk, R., & Foss, M. A. (2005). The duration and correlates of addiction and treatment careers. *Journal of Substance Abuse Treatment, 28 Suppl 1*, S51-62.
- Dennis, M., & Scott, C. K. (2007). Managing addiction as a chronic condition. *NIDA Addiction Science and Clinical Practice Perspectives, 4*(1), 45-55.
- Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R., & Walters, E.E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry, 62*, 593–602.
- Landry, M.J. (1994). *Understanding drugs of abuse: The processes of addiction, treatment, and recovery*. Arlington, VA: American Psychiatric Publishing.
- Leshner, A.I. (1997). Drug abuse and addiction treatment research. The next generation. *Archives of General Psychiatry, 54*, 691–694.
- McKay, J.R., Alterman, A.I., Rutherford, M.J., Cacciola, J.S., & McLellan, A.T. (1999). The relationship of alcohol use to cocaine relapse in cocaine dependent patients in an aftercare study. *Journal of Studies on Alcohol, 60*, 176–180.
- McLellan, A. T., Lewis, D. C., O'Brien, C. P., & Kleber, H. D. (2000). Drug dependence, a chronic medical illness: implications for treatment, insurance, and outcomes evaluation. *JAMA, 284* (13), 1689-95.
- McLellan, A. T., Luborsky, L., Woody, G. E., O'Brien, C. P., & Kron, R. (1981). Are the "addiction-related" problems of substance abusers really related? *J Nerv Ment Dis, 169*(4), 232-9.
- McLellan, A. Thomas. (2008) *Substance Use Pyramid*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html
- McMillen, C., Howard, M.O., Nower, L., & Chung, S. (2001). Positive by-products of the struggle with chemical dependency. *Journal of Substance Abuse Treatment, 20*, 69–79.
- Miller, W.R. (1998). Why do people change addictive behavior? The 1996 H. David Archibald Lecture. *Addiction, 93*, 163–172.
- Moos, R. H. (2003). Addictive disorders in context: principles and puzzles of effective treatment and recovery. *Psychol Addict Behav, 17*(1), 3-12.
- National Institute on Drug Abuse. (2007). *Drugs, brain and behavior: The science of Addiction*. (NIH Pub No. 07-5605) U.S. Department of Health and Human Services: National Institutes of Health.
- Ojesjo, L. (1981). Long-term outcome in alcohol abuse alcoholism among males in the Lundby general population, Sweden. *British Journal of Addictions, 76*, 391–400.
- Scott, C. K., Foss, M. A., & Dennis, M. L. (2005). Pathways in the relapse--treatment--recovery cycle over 3 years. *Journal of Substance Abuse Treatment, 28 Suppl 1*, S63-72.
- Substance Abuse and Mental Health Services Administration. (2006). *Results from the 2005 National Survey on Drug Use and Health: National findings* (NSDUH Series H-30, DHHS Publication No. SMA 06-4194). Rockville, MD: Office of Applied Studies.
- Tims, F., Leukefeld, C., & Platt, J. (2001). *Relapse and recovery in addictions*. New Haven, CT: Yale University Press.
- Vaillant, G. E. (1995). *The natural history of alcoholism revisited*. Cambridge, MA: Harvard University Press.
- Vaillant, G.E. (1988). What can long-term follow-up teach us about relapse and prevention of relapse in addiction? *British Journal of Addictions, 83*, 1147–1157.
- Vaillant, G.E. (2003). A 60-year follow-up of alcoholic men. *Addiction, 98*, 1043–1051.
- Venner, K.L., Matzger, H., Forcehimes, A.A., Moos, R.H., Feldstein, S.W., Willenbring, M.L., et al. (2006). Course of recovery from alcoholism. *Alcoholism, Clinical and Experimental Research, 30*, 1079–1090.
- White, W.L., Boyle, M., & Loveland, D. (2002). Alcoholism/addiction as a chronic disease: From rhetoric to clinical reality. *Alcoholism Treatment Quarterly, 20*(3/4), 107–130.
- Willenbring, Mark L. (2008) *Heavy Drinking & Alcohol Dependence: Remission & Recovery*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html

RECOVERY

Recovery experiences and paths

- Bacchus, L., Strang, J., & Watson, P. (2000). Pathways to abstinence: two-year follow-up data on 60 abstinent former opiate addicts who had been turned away from treatment. *Eur Addict Res*, 6(3), 141-7.
- Bewley, A.R. (1993). Addiction and meta-recovery: Wellness beyond the limits of Alcoholics Anonymous. *Alcoholism Treatment Quarterly*, 10(1/2), 1-22.
- Biernacki, P. (1986). *Pathways from heroin addiction: Recovery without treatment*. Philadelphia: Temple University Press.
- Bischof, G., Rumpf, H.J., Hapke, U., Meyer, C., & John, U. (2001). Factors influencing remission from alcohol dependence without formal help in a representative population sample. *Addiction*, 96, 1327-1336.
- Cloud, W., & Granfield, R. (2008). Conceptualizing recovery capital: expansion of a theoretical construct. *Subst Use Misuse*, 43(12-13), 1971-86.
- Cohen, C., Humphreys, K., & Moos, R.H. (1997). Social and community resources and long-term recovery from treated and untreated alcoholism. *Journal of Studies on Alcohol*, 58(3), 231-238.
- Cunningham, J. A. (1999). Resolving alcohol-related problems with and without treatment: The effects of different problem criteria. *Journal of Studies on Alcohol*, 60, 463-466.
- Cunningham, J.A. (1999). Untreated remissions from drug use: The predominant pathway. *Addictive Behaviors*, 24, 267-270.
- Cunningham, J.A., Koski-Jannes, A., & Toneatto, T. (1999). Why do people stop their drug use? Results from a general population sample. *Contemporary Drug Problems*, 26, 695-710.
- Cunningham, J.A., Lin, E., Ross, H.E., & Walsh, G.W. (2000). Factors associated with untreated remissions from alcohol abuse or dependence. *Addictive Behaviors*, 25, 317-321.
- Cunningham, J.A., Sobell, L.C., Sobell, M.B., & Kapur, G. (1995). Resolution from alcohol problems with and without treatment: Reasons for change. *Journal of Substance Abuse*, 7(3), 365-72.
- Curley, B. (2002). Discrimination against people in recovery rampant, advocates say. *Join Together Online*. <http://www.jointogether.org/sa/news/features/reader/0,1854,553416,00.html>
- Davis, K.E., & O'Neill, S.J. (2005). A focus group analysis of relapse prevention strategies for persons with substance use and mental disorders. *Psychiatric Services*, 56, 1288-1291.
- Dawson, D.A. (1996). Correlates of past-year status among treated and untreated persons with former alcohol dependence: United States, 1992. *Alcoholism, Clinical and Experimental Research*, 20, 771-779.
- Dawson, D.A., Grant, B.F., Stinson, F.S., Chou, P.S., Huang, B., & Ruan, W.J. (2005). Recovery from DSM-IV alcohol dependence: United States, 2001-2002. *Addiction*, 100, 281-292.
- Deegan, P.E. (1996). Recovery as a journey of the heart. *Psychiatric Rehabilitation Journal*, 19, 91-97.
- Faces and Voices of Recovery. (2001). *The road to recovery: A landmark national study on the public perceptions of alcoholism and barriers to treatment*. San Francisco: Peter D. Hart Research Associates / The Recovery Institute.
- Flynn, P.M., Joe, G.W., Broome, K.M., et al. (2003). Recovery from opioid addiction in DATOS. *Journal of Substance Abuse Treatment*, 25(3), 177-186
- Flynn, P. M., Joe, G. W., Broome, K. M., Simpson, D. D., & Brown, B. S. (2003). Looking back on cocaine dependence: reasons for recovery. *Am J Addict*, 12(5), 398-411.
- Granfield, R., & Cloud, W. (1999). *Coming clean: overcoming addiction without treatment*. New York, NY: New York University Press.
- Granfield, R., & Cloud, W. (2001). Social context and "natural recovery": The role of social capital in the resolution of drug-associated problems. *Substance Use and Misuse*, 36, 1543-1570.
- Hser, Y.I., Hoffman, V., Grella, C.E., Anglin, M.D. (2001). A 33-year follow-up of narcotics addicts. *Archives of General Psychiatry*, 58, 503-508.
- Humphreys, K., Moos, R.H., & Finney, J.W. (1995). Two pathways out of drinking problems without professional treatment. *Addictive Behaviors*, 20, 427-441.

- Irving, L.M., Seidner, A.L., Burling, T.A., Pagliarini, R., & Robbins-Sisco, D. (1998). Hope and recovery from substance dependence in homeless veterans. *Journal of Social and Clinical Psychology, 17*(4), 389–406.
- Kondo, C., Iimuro, T., Iwai, K., Kurata, K., Kouda, M., Tachikawa, H., et al. (2000). [A study of recovery factor about drug addiction recovery center (DARC)]. *Nihon Arukoru Yakubutsu Igakkai Zasshi, 35*(4), 258–270.
- Laudet, A. B. (2007). What does recovery mean to you? Lessons from the recovery experience for research and practice. *Journal of Substance Abuse Treatment, 33*(3), 243-56.
- Laudet, A. B. (2008). The road to recovery: where are we going and how do we get there? Empirically driven conclusions and future directions for service development and research. *Substance Use Misuse, 43*(12), 2001-20.
- Laudet, A. B., & White, W. (2010). What are your priorities right now? Identifying service needs across recovery stages to inform service development. *Journal of Substance Abuse Treatment, 38*(1), 51-9.
- Laudet, A. B., & White, W. L. (2008). Recovery capital as prospective predictor of sustained recovery, life satisfaction, and stress among former poly-substance users. *Substance Use Misuse, 43*(1), 27-54.
- Laudet, A. B., Morgen, K., & White, W. L. (2006). The role of social supports, spirituality, religiousness, life meaning and affiliation with 12-step fellowships in quality of life satisfaction among individuals in recovery from alcohol and drug problems. *Alcoholism Treatment Quarterly, 24*, 33–73.
- Laudet, A. B., Stanick, V., & Sands, B. (2009). What could the program have done differently? A qualitative examination of reasons for leaving outpatient treatment. *Journal of Substance Abuse Treatment, 37*, 182-190.
- Laudet, A.B., Savage, R., & Mahmood, D. (2002). Pathways to long-term recovery: A preliminary investigation. *Journal of Psychoactive Drugs, 34*, 305-311.
- Link, B.G., Struening, E.L., Neese-Todd, S., Asmussen, S., & Phelan, J.C. (2001). Stigma as a barrier to recovery: The consequences of stigma for the self-esteem of people with mental illnesses. *Psychiatric Services, 52*(12), 1621–1626.
- Longshore, D., Grills, C., & Annon, K. (1999). Effects of a culturally congruent intervention on cognitive factors related to drug-use recovery. *Substance Use and Misuse, 34*(9), 1223–1241.
- Lowery, C.T. (1998). American Indian perspectives on addiction and recovery. *Health and Social Work, 23*, 127–135.
- Margolis, R., Kilpatrick, A., & Mooney, B. (2000). A retrospective look at long-term adolescent recovery: Clinicians talk to researchers. *Journal of Psychoactive Drugs, 32*, 117–125.
- Marks, A. (2002). Jobs elude former drug addicts. *Christian Science Monitor*. Retrieved from <http://www.csmonitor.com/2002/0604/p02s02-ussc.html>
- Mathew, R.J., Georgi, J., Wilson, W.H., & Mathew, V.G. (1996). A retrospective study of the concept of spirituality as understood by recovering individuals. *Journal of Substance Abuse Treatment, 13*, 67–73.
- McMillen, C., Howard, M.O., Nower, L., & Chung, S. (2001). Positive by-products of the struggle with chemical dependency. *Journal of Substance Abuse Treatment, 20*, 69–79.
- Mead, S., & Copeland, M.E. (2000). What recovery means to us: Consumers' perspectives. *Community Mental Health Journal, 36*(3), 315–328.
- Moos, R. H. (1994). Why do some people recover from alcohol dependence, whereas others continue to drink and become worse over time? *Addiction, 89*, 31–34.
- Perlick, D.A. (2001). Special section on stigma as a barrier to recovery: Introduction. *Psychiatric Services, 52*, 1613–1614.
- Ringwald, C.D. (2002). *The soul of recovery: uncovering the spiritual dimension in the treatment of addictions*. New York: Oxford University Press.
- Russell, M., Peirce, R.S., Chan, A.W.K., Wiczorek, W.F., Moscato, B.S., & Nochajski, T.H. (2001). Natural recovery in a community-based sample of alcoholics: Study design and descriptive data. *Substance Use and Misuse, 36*(11), 1417–1441.
- Scott, C. K., Foss, M. A., & Dennis, M. L. (2005). Pathways in the relapse--treatment--recovery cycle over 3 years. *Journal of Substance Abuse Treatment, 28 Suppl 1*, S63-72.
- Sobell, L.C., Cunningham, J.A., & Sobell, M.B. (1996). Recovery from alcohol problems with and without treatment: Prevalence in two population surveys. *American Journal of Public Health, 86*, Sobell, L.C.,

- Ellingstad, T.P., & Sobell, M.B. (2000). Natural recovery from alcohol and drug problems: Methodological review of the research with suggestions for future directions. *Addiction, 95*, 749–764.
- Sobell, L.C., Sobell, M.B., Toneatto, T., & Leo, G.I. (1993). What triggers the resolution of alcohol problems without treatment. *Alcoholism, Clinical and Experimental Research, 17*, 217–224.
- Tims, F., Leukefeld, C., & Platt, J. (2001). *Relapse and recovery in addictions*. New Haven, CT: Yale University Press.
- Tucker, J.A., Vuchinich, R.E., & Gladsjo, J.A. (1994). Environmental events surrounding natural recovery from alcohol-related problems. *Journal of Studies on Alcohol, 55*, 401–411.
- Venner, K.L., Matzger, H., Forcehimes, A.A., Moos, R.H., Feldstein, S.W., Willenbring, M.L., et al. (2006). Course of recovery from alcoholism. *Alcoholism, Clinical and Experimental Research, 30*, 1079–1090.
- Walsh, D. (1996). A journey toward recovery: From the inside out. *Psychiatric Rehabilitation Journal, 20*(2), 85–90.
- Willenbring, Mark L. (2008) *Heavy Drinking & Alcohol Dependence: Remission & Recovery*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html

Mental Health Recovery

- Barreira, P., Espey, B., Fishbein, R., Moran, D., & Flannery, R.B. (2000). Linking substance abuse and serious mental illness service delivery systems: Initiating a statewide collaborative. *Journal of Behavioral Health Services & Research, 27*(1), 107–113.
- Bartels, S.J., Blow, F.C., Brockmann, L.M., & Van Citters, A.D. (2005). *Substance abuse and mental health among older Americans: The state of the knowledge and future directions*. Rockville, MD: Westat.
- Barton, R. (1998). The rehabilitation-recovery paradigm: A statement of philosophy for a public mental health system. *Psychiatric Rehabilitation Skills, 2*(2), 171–187.
- Fisher, D. (1994). Health care reform based on an empowerment model of recovery by people with psychiatric disabilities. *Hospital and Community Psychology, 45*(9), 913–915.
- Jacobson, N., & Curtis, L. (2000). Recovery as policy in mental health services: Strategies emerging from the states. *Psychiatric Rehabilitation Journal, 23*(4), 333–341.
- Mead, S., & Copeland, M.E. (2000). What recovery means to us: Consumers' perspectives. *Community Mental Health Journal, 36*(3), 315–328.
- Onken, S., Dumont, J., Ridgway, P., Dornan, D., & Ralph, R. (2002). *Mental Health Recovery: What Helps and What Hinders? A National Research Project for the Development of Recovery Facilitating System Performance Indicators*. Alexandria, VA : National Association of State Mental Health Program Directors.
- Smith, M.K. (2000). Recovery from a severe psychiatric disability: Findings of a qualitative study. *Psychiatric Rehabilitation Journal, 24*(2), 149–159.
- Young, S.L., & Ensing, D.S. (1999). Exploring recovery from the perspective of people with psychiatric disabilities. *Psychiatric Rehabilitation Journal, 22*, 219–231.

Functioning other than substance use (e.g., employment, quality of life)

- Blankertz, L., McKay, C., & Robinson, S. (1998). Work as a rehabilitative tool for individuals with dual diagnosis. *Journal of Vocational Rehabilitation, 11*, 113–123.
- Comerford, A.W. (1999). Work dysfunction and addiction: Common roots. *Journal of Substance Abuse Treatment, 16*, 247–253.
- Dennis, M. L., Foss, M. A., & Scott, C. K. (2007). An eight-year perspective on the relationship between the duration of abstinence and other aspects of recovery. *Eval Rev, 31*(6), 585–612.
- Devine, J.A., & Wright, J.D. (1997). Losing the housing game. The leveling effects of substance abuse. *American Journal of Orthopsychiatry, 67*, 618–631.

- Galanter, M., Dermatis, H., Egelko, S., & De Leon, G. (1998). Homelessness and mental illness in a professional- and peer-led cocaine treatment clinic. *Psychiatric Services, 49*(4), 533–535.
- Hitchcock, H.C., Stainback, R.D., & Roque, G.M. (1995). Effects of halfway house placement on retention of patients in substance abuse aftercare. *American Journal of Drug and Alcohol Abuse, 21*, 379–390.
- Hogue, A., Dauber, S., Dasaro, C., & Morgenstern, J. (2010). Predictors of employment in substance-using male and female welfare recipients. *Journal of Substance Abuse Treatment, 38*(2), 108-18.
- Kraemer, K. L., Maisto, S. A., Conigliaro, J., McNeil, M., Gordon, A. J., & Kelley, M. E. (2002). Decreased alcohol consumption in outpatient drinkers is associated with improved quality of life and fewer alcohol-related consequences. *J Gen Intern Med, 17*(5), 382-6.
- McLellan, A.T., Hagan, T.A., Levine, M., Gould, F., Meyers, K., Bencivengo, M., et al. (1998). Supplemental social services improve outcomes in public addiction treatment. *Addiction, 93*, 1489–1499.
- Platt, J.J. (1995). Vocational rehabilitation of drug abusers. *Psychological Bulletin, 117*, 416–433.
- Siegal, H.A., Fisher, J.H., Rapp, R.C., Kelliher, C.W., Wagner, J.H., O'Brien, W.F., et al. (1996). Enhancing substance abuse treatment with case management: Its impact on employment. *Journal of Substance Abuse Treatment, 13*(2), 93–98.
- The WHOQOL Group. (1996). What is quality of life? The WHOQOL Group. World Health Organization Quality of Life Assessment. *World Health Forum, 17*(4), 354-6.

RECOVERY RESOURCES

Twelve Step

- Bewley, A.R. (1993). Addiction and meta-recovery: Wellness beyond the limits of Alcoholics Anonymous. *Alcoholism Treatment Quarterly, 10*(1/2), 1–22.
- Brooks, A.J., & Penn, P.E. (2003). Comparing treatments for dual diagnosis: Twelve-step and self-management and recovery training. *American Journal of Drug and Alcohol Abuse, 29*, 359–383.
- Caldwell, P.E., & Cutter, H.S. (1998). Alcoholics Anonymous affiliation during early recovery. *Journal of Substance Abuse Treatment, 15*, 221–228.
- Connors, G.J., Tonigan, J.S., & Miller, W.R. (2001). A longitudinal model of intake symptomatology, AA participation and outcome: Retrospective study of the project MATCH outpatient and aftercare samples. *Journal of Studies on Alcohol, 62*, 817–825.
- Emrick, C.D. (1987). Alcoholics Anonymous: Affiliation processes and effectiveness as treatment. *Alcoholism, Clinical and Experimental Research, 11*, 416–423.
- Emrick, C.D., Tonigan, J.S., Montgomery, H., & Little, L. (1993). Alcoholics Anonymous: What is currently known. In B.S. McCrady & W.R. Miller (Eds.), *Research on Alcoholics Anonymous* (pp. 41–76). Brunswick, NJ: Rutgers Center of Alcohol Studies.
- Etheridge, R.M., Craddock, S.G., Hubbard, R.L., & Rounds-Bryant, J.L. (1999). The relationship of counseling and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence, 57*, 99–112.
- Finney, J.W., Noyes, C.A., Coutts, A.I., & Moos, R.H. (1998). Evaluating substance abuse treatment process models: Changes on proximal outcome variables during 12-step and cognitive-behavioral treatment. *Journal of Studies on Alcohol, 59*, 371–380.
- Fiorentine, R. (1999). After drug treatment: Are 12-step programs effective in maintaining abstinence? *American Journal of Drug and Alcohol Abuse, 25*, 93–116.
- Fiorentine, R., & Hillhouse, M. (2000). Drug treatment and 12-step program participation: The additive effects of integrated recovery activities. *Journal of Substance Abuse Treatment, 18* (1), 65-74.
- Fiorentine, R., & Hillhouse, M.P. (2000). Exploring the additive effects of drug misuse treatment and twelve-step involvement: Does Twelve-Step ideology matter? *Substance Use and Misuse, 35*, 367–397.
- Galanter, M., Egelko, S., & Edwards, H. (1993). Rational recovery: Alternative to AA for addiction? *American Journal of Drug and Alcohol Abuse, 19*, 499–510.

- Humphreys, K., & Moos, R. (2001). Can encouraging substance abuse patients to participate in self-help groups reduce demand for health care? A quasi-experimental study. *Alcoholism, Clinical and Experimental Research, 25*, 711–716.
- Humphreys, K., Huebsch, P.D., Finney, J.W., & Moos, R.H. (1999). A comparative evaluation of substance abuse treatment: Substance abuse treatment can enhance the effectiveness of self-help groups. *Alcoholism, Clinical and Experimental Research, 23*, 558–563.
- Humphreys, K., Mankowski, E., Moos, R., & Finney, J. (1999). Do enhanced friendship networks and active coping mediate the effect of self-help groups on substance abuse? *Annals of Behavioral Medicine, 21*(1), 54–60.
- Humphreys, K., Wing, S., McCarty, D., Chappel, J., Gallant, L., Haberle, B., Horvath, A. T., Kaskutas, L. A., Kirk, T., Kivlahan, D., Laudet, A., McCrady, B. S., McLellan, A. T., Morgenstern, J., Townsend, M., & Weiss, R. (2004). Self-help organizations for alcohol and drug problems: toward evidence-based practice and policy. *Journal of Substance Abuse Treatment, 26*(3), 151-8; discussion 159-65. PMID: 1950466.
- Johnson, N.P., & Chappel, J.N. (1994). Using AA and other 12-step programs more effectively. *Journal of Substance Abuse Treatment, 11*(2), 137–142.
- Khantzian, E.J., & Mack, J.E. (1994). How AA works and why it's important for clinicians to understand. *Journal of Substance Abuse Treatment, 11*(2), 77–92.
- Kissin, W., McLeod, C., & McKay, J. (2003). The longitudinal relationship between self-help group attendance and course of recovery. *Evaluation and Program Planning, 26*, 311–323.
- Laudet, A., Stanick, V. & Sands, B. (2007). The effect of onsite 12-step meetings on post-treatment outcomes among polysubstance-dependent outpatient clients. *Eval. Review, 31*(6), 613-646.
- Laudet, A (2008) The Impact of Alcoholics Anonymous on other substance abuse related Twelve Step programs. In Galanter, M., and Kaskutas, L. A. (Eds.) *Recent Developments in Alcoholism: Research on Alcoholics Anonymous and Spirituality in Addiction Recovery*, Vol. 18. New York, NY: Springer, p. 71-89.
- Laudet, A. B., Morgen, K., & White, W. L. (2006). The role of social supports, spirituality, religiousness, life meaning and affiliation with 12-step fellowships in quality of life satisfaction among individuals in recovery from alcohol and drug problems. *Alcoholism Treatment Quarterly, 24*, 33–73.
- Magura, S., Knight, E.L., Vogel, H.S., Mahmood, D., Laudet, A.B., & Rosenblum, A. (2003). Mediators of effectiveness in dual-focus self-help groups. *American Journal of Drug and Alcohol Abuse, 29*, 301–322.
- Mankowski, E.S., Humphreys, K., & Moos, R.H. (2001). Individual and contextual predictors of involvement in twelve-step self-help groups after substance abuse treatment. *American Journal of Community Psychology, 29*, 537–563.
- McKay, J.R., McLellan, A.T., Alterman, A.I., Cacciola, J.S., Rutherford, M.J., & O'Brien, C.P. (1998). Predictors of participation in aftercare sessions and self-help groups following completion of intensive outpatient treatment for substance abuse. *Journal of Studies on Alcohol, 59*, 152–162.
- McKellar, J., Stewart, E., & Humphreys, K. (2003). Alcoholics anonymous involvement and positive alcohol-related outcomes: Cause, consequence, or just a correlate? A prospective 2-year study of 2,319 alcohol-dependent men. *Journal of Consulting and Clinical Psychology, 71*, 302–308.
- Moos, R.H., Moos, B.S., Timko, C. (2006). Gender, Treatment, and Self-Help in Remission from Alcohol Use and Disorders. *Clinical Medical Research, 4*, 163-174.
- Morgenstern, J., Labouvie, E., McCrady, B.S., Kahler, C.W., & Frey, R.M. (1997). Affiliation with Alcoholics Anonymous after treatment: A study of its therapeutic effects and mechanisms of action. *Journal of Consulting and Clinical Psychology, 65*, 768–777.
- Ouimette, P.C., Moos, R.H., & Finney, J.W. (1998). Influence of outpatient treatment and 12-step group involvement on one-year substance abuse treatment outcomes. *Journal of Studies on Alcohol, 59*, 513–522.
- Owen, P.L., Slaymaker, V., Tonigan, J.S., McCrady, B.S., Epstein, E.E., Kaskutas, L.A., et al. (2003). Participation in Alcoholics Anonymous: Intended and unintended change mechanisms. *Alcoholism, Clinical and Experimental Research, 27*, 524–532.
- Riessman, F. (1965). The “helper-therapy” principle. *Social Work, 10*, 24-32.

- Timko, C., & Sempel, J.M. (2004). Intensity of acute services, self-help attendance and one-year outcomes among dual diagnosis patients. *Journal of Studies on Alcohol*, *65*, 274–282.
- Timko, C., Moos, R.H., Finney, J.W., & Moos, B.S. (1994). Outcome of treatment for alcohol abuse and involvement in Alcoholics Anonymous among previously untreated problem drinkers. *Journal of Mental Health Administration*, *21*(2), 145–160.

Peer-based and family support

- Antonucci, T.C. (1990). Social supports and social relationships. In R.H. Binstock (Ed.), *Handbook of aging and the social sciences* (3rd ed.). New York: Van Nostrand Reinhold.
- Azrin, N.H., Sisson, R.W., Meyers, R., & Godley, M. (1982). Alcoholism treatment by disulfiram and community reinforcement therapy. *Journal of Behavior Therapy and Experimental Psychiatry*, *13*, 105–112.
- Belding, M.A., Iguchi, M.Y., Morral, A.R., & McLellan, A.T. (1997). Assessing the helping alliance and its impact in the treatment of opiate dependence. *Drug and Alcohol Dependence*, *48*, 51–59.
- Berkman, L.F. (2000). Social support, social networks, social cohesion and health. *Social Work and Health Care*, *31*, 3–14.
- Broome, K.M., Simpson, D.D., & Joe, G.W. (2002). The role of social support following short-term inpatient treatment. *American Journal of Addictions*, *11*, 57–65.
- Brown, S. & Lewis, V. (1998). *The alcoholic family in recovery: a developmental model*. New York, NY: Guilford Press.
- Carten, A.J. (1996). Mothers in recovery: Rebuilding families in the aftermath of addiction. *Social Work*, *41*, 214–223.
- Center for Substance Abuse Treatment. (2009) What are Peer Recovery Support Services? HHS Publication No. (SMA) 09-4454. Rockville, MD: Substance Abuse and Mental Health Services Administration, U.S. Department of Health and Human Services,.
- Cohen, C., Humphreys, K., & Moos, R.H. (1997). Social and community resources and long-term recovery from treated and untreated alcoholism. *Journal of Studies on Alcohol*, *58*(3), 231–238.
- Granfield, R., & Cloud, W. (2001). Social context and “natural recovery”: The role of social capital in the resolution of drug-associated problems. *Substance Use and Misuse*, *36*, 1543–1570.
- Havassy, B.E., Hall, S.M., & Wasserman, D.A. (1991). Social support and relapse: Commonalities among alcoholics, opiate users, and cigarette smokers. *Addictive Behaviors*, *16*, 235–246.
- Higgins, S.T., Budney, A.J., Bickel, W.K., & Badger, G.J. (1994). Participation of significant others in outpatient behavioral treatment predicts greater cocaine abstinence. *The American Journal of Drug and Alcohol Abuse*, *20*, 47–56.
- Humphreys, K., Mankowski, E., Moos, R., & Finney, J. (1999). Do enhanced friendship networks and active coping mediate the effect of self-help groups on substance abuse? *Annals of Behavioral Medicine*, *21*(1), 54–60.
- Humphreys, K., Wing, S., McCarty, D., Chappel, J., Gallant, L., Haberle, B., Horvath, A. T., Kaskutas, L. A., Kirk, T., Kivlahan, D., Laudet, A., McCrady, B. S., McLellan, A. T., Morgenstern, J., Townsend, M., & Weiss, R. (2004). Self-help organizations for alcohol and drug problems: toward evidence-based practice and policy. *Journal of Substance Abuse Treatment*, *26*(3), 151-8; discussion 159-65. PMID: 1950466.
- Jason, L.A., Davis, M.I., & Ferrari, J.R., (2007). The need for substance abuse after-care: Longitudinal analysis of Oxford House. *Addiction Behaviors*, *32*, 803-818.
- Jason, L.A., Davis, M.I., Ferrari, J.R., & Bishop, P.D. (2001). Oxford House: A review of research and implications for substance abuse recovery and community research. *Journal of Drug Education*, *31*, 1–27.
- Jason, L.A., Olson, B.D., Ferrari, J.R., & Lo Sasso, A.T. (2006). Communal housing settings enhance substance abuse recovery. *American Journal of Public Health*, *96* (10), 1727-1729.
- Laudet, A. B., Morgen, K., & White, W. L. (2006). The role of social supports, spirituality, religiousness, life meaning and affiliation with 12-step fellowships in quality of life satisfaction among individuals in recovery from alcohol and drug problems. *Alcoholism Treatment Quarterly*, *24*, 33–73.

- McCrary, B.S. (2004). To have but one true friend: Implications for practice of research on alcohol use disorders and social networks. *Psychology of Addictive Behaviors*, 18, 113–121.
- Richter, S.S., Brown, S.A., & Mott, M.A. (1991). The impact of social support and self-esteem on adolescent substance abuse treatment outcome. *Journal of Substance Abuse*, 3, 371–385.
- Riessman, F. (1965). The “helper-therapy” principle. *Social Work*, 10, 24-32.
- Salzer, M. (2002a). Best practice guidelines for consumer-delivered services. Unpublished paper developed for Behavioral Health Recovery Management Project. An initiative of Fayette Companies, Peoria, IL; Chestnut Health Systems, Bloomington, IL; and the University of Chicago Center for Psychiatric Rehabilitation. Retrieved from www.bhrm.org/guidelines/salzer.pdf
- Salzer, M. (2002b). Consumer-delivered services as a best practice in mental health care delivery and the development of practice guidelines. *Psychiatric Rehabilitation Skills*, 6 (3), 355-383
- Solomon, P. (2004). Peer support/peer provided services underlying processes, benefits, and critical ingredients. *Psychiatric Rehabilitation Journal*, 27, 392–401.
- Solomon, P., & Draine, J. (2001). The state of knowledge of the effectiveness of consumer provided services. *Psychiatric Rehabilitation Journal*, 25, 20–27.
- White, W. (2004). The history and future of peer-based addiction recovery support services. Prepared for the SAMHSA Consumer and Family Direction Initiative 2004 Summit, March 22-23, Washington, DC.

Faith/Spirituality/Religion

- Arnold, R., Avants, S.K., Margolin, A., & Marcotte, D. (2002). Patient attitudes concerning the inclusion of spirituality into addiction treatment. *Journal of Substance Abuse Treatment*, 23, 319–326.
- Avants, S.K., Warburton, L.A., & Margolin, A. (2001). Spiritual and religious support in recovery from addiction among HIV-positive injection drug users. *Journal of Psychoactive Drugs*, 33, 39–45.
- Brizer, D.A. (1993). Religiosity and drug abuse among psychiatric inpatients. *American Journal of Drug and Alcohol Abuse*, 19, 337–345.
- Deegan, P.E. (1996). Recovery as a journey of the heart. *Psychiatric Rehabilitation Journal*, 19, 91–97.
- Gorsuch, R.L. (1994). Toward motivational theories of intrinsic religious commitment. *Journal of Science and Studies in Religion*, 33(4), 315–325.
- Kendler, K.S., Gardner, C.O., & Prescott, C.A. (1997). Religion, psychopathology, and substance use and abuse: A multimeasure, genetic-epidemiologic study. *American Journal of Psychiatry*, 154, 322–329.
- Mathew, R.J., Georgi, J., Wilson, W.H., & Mathew, V.G. (1996). A retrospective study of the concept of spirituality as understood by recovering individuals. *Journal of Substance Abuse Treatment*, 13, 67–73.
- Miller, W.R. (1998). Researching the spiritual dimensions of alcohol and other drug problems. *Addiction*, 93, 979–990.
- Muffler, J., Langrod, J.G., & Larson, D. (1992). “There is a balm in Gilead” Religion and substance abuse treatment. In J.H. Lowinson, P. Ruiz, & R.B. Millman (Eds.), *Substance abuse: A comprehensive textbook* (2nd ed., pp. 584–595). Baltimore: Williams & Wilkins.
- Pardini, D.A., Plante, T.G., Sherman, A., & Stump, J.E. (2000). Religious faith and spirituality in substance abuse recovery: Determining the mental health benefits. *Journal of Substance Abuse Treatment*, 19, 347–354.
- Ringwald, C.D. (2002). *The soul of recovery: uncovering the spiritual dimension in the treatment of addictions*. New York: Oxford University Press.
- Tonigan, J.S., Miller, W.R., & Conners, G.J. (2001). The search for meaning in life as a predictor of alcoholism treatment outcome. In R. Longabaugh & P.W. Wirtz (Eds.), *Project MATCH Monograph Series: Vol. 8. Project MATCH hypotheses: Results and causal chain analysis* (pp. 154–165). Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- White, W., & Laudet, A. (2006). Spirituality, Science and Addiction Counseling. *Counselor*, 7(1), 56-59.

Continuing care and Recovery services models

- Anthony W.A. (2000). A recovery-oriented service system: Setting some system level standards. *Psychiatric Rehabilitation Journal*, 24(2), 159–168.
- Anthony, W.A. (1993). Recovery from mental illness: The guiding vision of the mental health service system in the 1990s. *Psychiatric Rehabilitation Journal*, 16(4), 11–23.
- Barreira, P., Espey, B., Fishbein, R., Moran, D., & Flannery, R.B. (2000). Linking substance abuse and serious mental illness service delivery systems: Initiating a statewide collaborative. *Journal of Behavioral Health Services & Research*, 27(1), 107-113.
- Bodenheimer, T., Lorig, K., Holman, H., & Grumbach, K. (2002). Patient self-management of chronic disease in primary care. *JAMA*, 288, 2469–2475.
- Boyd, B. (1992). Impacts of interagency collaboration on participating organizations. Paper presented at the annual meeting of the American Educational Research Association, San Francisco, CA: (ERIC Document Reproduction Service No. ED 346566)
- Bullock, W., O'Rourke, M., Farrer, E., Breedlove, A., Smith M., & Claggett, A. (2005). Evaluation of the Illness Management and Recovery (IMR) Program. *Annual meeting of the American Psychological Association* Washington, DC: American Psychological Association .
- Center for Substance Abuse Treatment (1995). *Developing state outcomes monitoring systems for alcohol and other drug treatment: Treatment Improvement Protocol 14*. Rockville, MD: Center for Substance Abuse Treatment.
- Currier, Betty. (2008) *New York State Recovery Community Organization*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html.
- Davidson, L., Stayner, D.A., Nickou, C., Styron, T.H., Rowe, M., & Chinman, M.L. (2001). Simply to be let in: Inclusion as a basis for recovery. *Psychiatric Rehabilitation Journal*, 24, 375–388.
- Davidson, L., Tondora, J., O'Connell, M.J., Kirk, T. Jr., Rockholz, P., & Evans, A.C. (2007). Creating a recovery-oriented system of behavioral health care: moving from concept to reality. *Psychiatric Rehabilitation Journal*, 31(1), 23–31.
- Dennis, M., Scott, C.K., & Funk, R. (2003). An experimental evaluation of recovery management checkups (RMC) for people with chronic substance use disorders. *Evaluation and Program Planning*, 26, 339–352.
- Felton, B.J., Barr, A., Clark, G., & Tsemberis, S.J. (2006). ACT team members' responses to training in recovery-oriented practices. *Psychiatric Rehabilitation Journal*, 30, 112–119.
- Fisher, D. (1994). Health care reform based on an empowerment model of recovery by people with psychiatric disabilities. *Hospital and Community Psychology*, 45(9), 913–915.
- Frese, F.F., Stanley, J., Kress, K., & Vogel-Scibilia, S. (2001). Integrating evidence-based practices and the recovery model. *Psychiatric Services*, 52(11), 1462–1468.
- Frost, M. H., Bonomi, A. E., Cappelleri, J. C., Schunemann, H. J., Moynihan, T. J., & Aaronson, N. K. (2007). Applying quality-of-life data formally and systematically into clinical practice. *Mayo Clin Proc*, 82(10), 1214-28.
- Gagne, C., White, W., Anthony, W.A. (2007) Recovery: A common vision for the fields of mental health and addictions. *Psychiatric Rehabilitation Journal*, 31(1), 32-37.
- Godley, M.D., Godley, S.H., Dennis, M., Funk, R., & Passetti, L.L. (2007). The effect of assertive continuing care on continuing care linkage, adherence and abstinence following residential treatment for adolescents with substance use disorders. *Addiction*, 102, 81–93.
- Godley, M.D., Godley, S.H., Dennis, M.L., Funk, R., & Passetti, L.L. (2002). Preliminary outcomes from the assertive continuing care experiment for adolescents discharged from residential treatment. *Journal of Substance Abuse Treatment*, 23, 21–32.
- Gruber, K.J., & Fleetwood, T.W. (2004). In-home continuing care services for substance use affected families. *Substance Use & Misuse*, 39, 1370-1403.
- Haggerty, J.L., Reid, R.J., Freeman, G.K., Starfield, B.H., Adair, C.E., & McKendry, R. (2003). Continuity of care: A multidisciplinary review. *British Medical Journal*, 327, 1219–1221.
- Hasson-Ohayon, I., Roe, D., & Kravetz, S. (2007). A randomized controlled trial of the effectiveness of the illness management and recovery program. *Psychiatr Serv*, 58(11), 1461-6.
<http://www.ct.gov/dmhas/lib/dmhas/publications/practiceguidelines.pdf> [access date].
- Hyun, M.S., Kools, S., & Kim, S.A. (2003). A model of recovery from substance abuse and dependence

- for Korean adolescents. *Journal of Child and Adolescent Psychiatric Nursing*, 16(1), 25–34.
- Jacobson, N., & Greenley, D. (2001). What is recovery? A conceptual model and explication. *Psychiatric Services*, 52(4), 482–485.
- Kautz, C.M. (2007). Guiding principles and elements of recovery-oriented systems of care: what do we know from the research? For the Center for Substance Abuse Treatment, Substance Abuse and Mental Health Services Administration. Bethesda, MD: Abt Associates, Inc.
- Kisthardt, W. (1997). The strengths model of case management: Principles and helping functions. In D. Saleeby (Ed.), *The Strengths Perspective in Social Work Practice* (2nd ed., pp. 97–114). New York: Longman.
- Legal Action Center. (2007). Recovery Support Services Oversight and Diversification: Existing and Emerging Practices and Recommendations for Next Steps. Final Report to SAMHSA. Unpublished report presented at the Recovery Support Services Meeting “Lessons Learned and Future Directions” in Fort Lauderdale, FL, January 22-23, 2007.
- McKay, J. R., Lynch, K. G., Shepard, D. S., & Pettinati, H. M. (2005). The effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes. *Arch Gen Psychiatry*, 62(2), 199-207.
- McKay, J.R. (2001). Effectiveness of continuing care interventions for substance abusers: Implications for study of long-term treatment effects. *Evaluation Review*, 25(2), 211–232.
- McKay, J.R., Alterman, A.I., McLellan, A.T., & Snider, E.C. (1994). Treatment goals, continuity of care, and outcome in a day hospital substance abuse rehabilitation program. *American Journal of Psychiatry*, 151, 254–259.
- McKay, J.R., Lynch, K.G., Shepard, D.S., Ratichek, S., Morrison, R., Koppenhaver, J., et al. (2004). The effectiveness of telephone-based continuing care in the clinical management of alcohol and cocaine use disorders: 12-month outcomes. *Journal of Consulting and Clinical Psychology*, 72, 967–979.
- Minkoff, K. (1991). Program components of a comprehensive integrated care system for serious mentally ill patients with substance disorders. *New Directions in Mental Health Services*, (50), 13–27.
- Minkoff, K., & Cline, C.A. (2004). Changing the world: The design and implementation of comprehensive continuous integrated systems of care for individuals with co-occurring disorders. *Psychiatric Clinics of North America*, 27(4), 727–743.
- Morgenstern, J., Hogue, A., Dauber, S., Dasaro, C., & McKay, J. R. (2009b). Does coordinated care management improve employment for substance-using welfare recipients? *Journal of Studies on Alcohol and Drugs*, 70(6), 955-63.
- Morgenstern, J., Blanchard, K. A., McCrady, B. S., McVeigh, K. H., Morgan, T. J., & Pandina, R. J. (2006). Effectiveness of intensive case management for substance-dependent women receiving temporary assistance for needy families. *American Journal of Public Health*, 96(11), 2016-23.
- Morgenstern, J., Hogue, A., Dauber, S., Dasaro, C., & McKay, J. R. (2009a). A practical clinical trial of coordinated care management to treat substance use disorders among public assistance beneficiaries. *Journal of Consulting and Clinical Psychology*, 77(2), 257-69.
- Mueser, K. T., Corrigan, P. W., Hilton, D. W., Tanzman, B., Schaub, A., Gingerich, S., Essock, S. M., Tarrier, N., Morey, B., Vogel-Scibilia, S., & Herz, M. I. (2002). Illness management and recovery: a review of the research. *Psychiatr Serv*, 53(10), 1272-84.
- Mueser, K. T., Meyer, P. S., Penn, D. L., Clancy, R., Clancy, D. M., & Salyers, M. P. (2006). The Illness Management and Recovery program: rationale, development, and preliminary findings. *Schizophr Bull*, 32 Suppl 1, S32-43.
- Mueser, K., & Gingerich, S. (2005). Illness Management and Recovery (IMR) Scales. T. Campbell-Orde, J. Chamberlin, J. Carpenter, & HS. Leff *Measuring the Promise: A Compendium of Recovery Measures Volume II* (pp. 124-132). Cambridge, MA: The Evaluation Center@HRSI.
- Mueser, K., Gingerich, S., Salyers, M., McGuire, A., Reyes, R. , & Cunningham, H. (2004). *The Illness Management and Recovery (IMR) Scales*. Concord, NH: New Hampshire-Dartmouth Psychiatric Research Center.
- Northwest Frontier Addiction Technology Transfer Center (NFATTC). (2007). Recovery-oriented systems of care: Principles of recovery, Elements of the system and Recovery management. Vol. 10(10-12).

- Pringle, J.L., Edmondston, L.A., Holland, C.L., Kirisci, L., Emptage, N., Balavage, V.K., et al. (2002). The role of wrap around services in retention and outcome in substance abuse treatment: Findings from the Wrap Around Services Impact Study. *Addictive Disorders and their Treatment*, 1(4), 109–118.
- Rapp, R.C., Kelliher, C.W., Fisher, J.H., & Hall, F.J. (1994). Strengths-based case management. A role in addressing denial in substance abuse treatment. *Journal of Case Management*, 3, 139–144.
- Reynolds, K., & Koster, V. (2005). *Innovative ways to finance mental health services in a primary care setting*. Washtenaw, MI: Washtenaw Community Health Association.
- Salzer, M. (2002a). Best practice guidelines for consumer-delivered services. Unpublished paper developed for Behavioral Health Recovery Management Project. An initiative of Fayette Companies, Peoria, IL; Chestnut Health Systems, Bloomington, IL; and the University of Chicago Center for Psychiatric Rehabilitation. From www.bhrm.org/guidelines/salzer.pdf.
- Salzer, M. (2002b). Consumer-delivered services as a best practice in mental health care delivery and the development of practice guidelines. *Psychiatric Rehabilitation Skills*, 6 (3), 355-383
- Scott, C. K., & Dennis, M. L. (2002). *Recovery management checkup (RMC) protocol for people with chronic substance use disorder*. Bloomington, IL: Chestnut Health Systems.
- Scott, C., White, W., & Dennis, M. (2007). Chronic Addiction and Recovery Management: Implications for Clinicians. *Counselor*, Retrieved from <http://www.counselormagazine.com/content/view/577-63/>.
- Scott, C.K., Dennis, M.L., & Foss, M.A. (2005). Utilizing recovery management checkups to shorten the cycle of relapse, treatment reentry, and recovery. *Drug and Alcohol Dependence*, 78, 325–338.
- Siegal, H.A., Li, L., & Rapp, R.C. (2002). Case management as a therapeutic enhancement: Impact on post-treatment criminality. *Journal of Addictive Disorders*, 21(4), 37–46.
- Solomon, P., & Draine, J. (2001). The state of knowledge of the effectiveness of consumer provided services. *Psychiatric Rehabilitation Journal*, 25, 20–27.
- Taitt, S., Stein, J., & Whitter, M. (2008). *Recovery in the Community: An Emerging Framework- A Recovery-Oriented Systems Approach*. Presentation at the SAAS National Conference & NIATx Summit, Orlando, Florida on June 22-25, 2008.
- The Washington Circle. (2006) Recovery Management: Continuing Care Following Acute Treatment [Web Page]. URL <http://www.washingtoncircle.org/pdfs/8c1.pdf> [2008, April 12].
- Tilly, J., & Wiener, J. (2001a). Consumer-directed home and community services programs in eight states: Policy issues for older people and government. *Journal of Aging and Social Policy*, 12(4), 1–2.
- Treatnet. (2008). Sustained recovery management. Vienna, Austria: United Nations Office of Drugs and Crime.
- Valentine, Phillip. *CCAR Overview*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html
- Weisner, C., Delucchi, K., Matzger, H., & Schmidt, L. (2003). The role of community services and informal support on five-year drinking trajectories of alcohol dependent and problem drinkers. *Journal of Studies on Alcohol*, 64, 862–873.
- Wells, K., Miranda, J., Bruce, M.L., Alegria, M., & Wallerstein, N. (2004). Bridging community intervention and mental health services research. *American Journal of Psychiatry*, 161, 955–963.
- White, W. (2004). The history and future of peer-based addiction recovery support services. Prepared for the SAMHSA Consumer and Family Direction Initiative 2004 Summit, March 22-23, Washington, DC.
- Yeh, M. Y., Che, H. L., Lee, L. W., & Horng, F. F. (2008). An empowerment process: successful recovery from alcohol dependence. *J Clin Nurs*, 17(7), 921-9.

Recovery homes and Sober Houses

- Ferrari JR, Groh DR, Leonard JA. The neighborhood environments of mutual recovery houses: Comparisons by perceived socioeconomic status. *Journal of Groups in Addiction & Recovery*. 2009;4:100-109.
- Ferrari JR, Jason LA, Blake R, Davis MI, Olson BD. "This is my neighborhood": Comparing United States and Australian oxford house neighborhoods. *Journal of Prevention & Intervention in the Community*. 2006;31(1-2):41-49.
- Ferrari JR, Jason LA, Davis MI, Olson BD, Alvarez J. Similarities and differences in governance among residents in drug and/or alcohol misuse recovery: Self vs. staff rules and regulations. *Therapeutic Communities*. 2004;25(3):185-198.

- Ferrari JR, Jason LA, Sasser KC, Davis MI, Olson BD. Creating a home to promote recovery: The physical environments of oxford house. *Journal of Prevention & Intervention in the Community*. 2006;31(1-2):27-39.
- Groh DR, Jason LA, Ferrari JR, Davis MI. Oxford House and Alcoholics Anonymous: The Impact of Two Mutual-Help Models on Abstinence. *Journal of Groups in Addiction & Recovery*. 2009;4(1/2):23-31
- Jason LA, Aase DM, Mueller DG, Ferrari JR. Current and Previous Residents of Self-Governed Recovery Homes: Characteristics of Long-Term Recovery. *Alcoholism Treatment Quarterly*. 2009;27(4):442 - 452.
- Jason LA, Davis MI, Ferrari JR. The need for substance abuse after-care: Longitudinal analysis of Oxford House. *Addictive Behaviors*. Apr 2007;32(4):803-818.
- Jason LA, Ferrari JR. Oxford house recovery homes: Characteristics and effectiveness. *Psychological Services*. May 2010;7(2):92-102.
- Jason LA, Groh DR, Durocher M, Alvarez J, Aase DM, Ferrari JR. Counteracting "not in my backyard": The positive effects of greater occupancy within mutual-help recovery homes. *Journal of Community Psychology*. Sep 2008;36(7):947-958.
- Jason LA, Olson BD, Ferrari JR, Lo Sasso AT. Communal Housing Settings Enhance Substance Abuse Recovery. *American Journal of Public Health*. Oct 2006;96(10):1727-1729.
- Majer JM, Jason LA, Ferrari JR, North CS. Comorbidity among Oxford House residents: A preliminary outcome study. *Addictive Behaviors*. Sep-Oct 2002;27(5):837-845.
- Polcin DL, Henderson DM. A clean and sober place to live: Philosophy, structure, and purported therapeutic factors in sober living houses. *Journal of Psychoactive Drugs*. Jun 2008;40(2):153-159.
- Polcin DL, Korcha RA, Bond J, Galloway G. Eighteen month outcomes for clients receiving combined outpatient treatment and sober living houses. *Journal of Substance Use*. In press.
- Polcin DL, Korcha RA, Bond J, Galloway G. Sober living houses for alcohol and drug dependence: 18-month outcomes. *Journal of Substance Abuse Treatment*. Jun 2010;38(4):356-365.
- Polcin DL. A model of sober housing during outpatient treatment. *Journal of Psychoactive Drugs*. Jun 2009;41(2):153-161.
- Polcin DL. Sober living houses: Potential roles in substance abuse services and suggestions for research. *Substance Use & Misuse*. 2001;36(3):301-311.

Treatment: General

- Anglin, M.D., Hser, Y.I., Grella, C.E., Longshore, D., & Prendergast, M.L. (2001). Drug treatment careers: Conceptual overview and clinical, research, and policy applications. In F. Tims, C. Leukefeld, & J. Platt (Eds.), *Relapse and recovery in addictions* (pp. 18–39). New Haven, CT: Yale University Press.
- Babor, T.F., Stenius, K., & Romelsjo, A. (2008), Alcohol and drug treatment systems in public health perspective: Mediators and moderators of population effects. *International Journal of Methods in Psychiatric Research*, 17(S1), S50–S59.
- Brigham, T. (1979). Some effects of choice on academic performance. In L.C. Perlmutter & R.A. Monty (Eds.), *Choice and perceived control*. Hillsdale, NJ: Lawrence Erlbaum.
- Calsyn, R.J., Winter, J.P., & Morse, G.A. (2000). Do consumers who have a choice of treatment have better outcomes? *Community Mental Health Journal*, 36, 149–160.
- Carpenter, K.M., Miele, G.M., & Hasin, D.S. (2002). Does motivation to change mediate the effect of DSM-IV substance use disorders on treatment utilization and substance use? *Addictive Behaviors*, 27(2), 207–225.
- Carroll, J.F., & McGinley, J.J. (2000). An agency follow-up outcome study of graduates from four inner-city therapeutic community programs. *Journal of Substance Abuse Treatment*, 18, 103–118.
- Christensen, A., & Jacobsen, N.S. (1994). Who (or what) can do psychotherapy: The status and challenge of nonprofessional therapies. *Psychological Science*, 5, 8–14.
- Connors, G.J., Carroll, K.M., DiClemente, C.C., Longabaugh, R., & Donovan, D.M. (1997). The therapeutic alliance and its relationship to alcoholism treatment participation and outcome. *Journal of Consulting and Clinical Psychology*, 65, 588–598.
- Connors, G.J., Tonigan, J.S., & Miller, W.R. (2001). A longitudinal model of intake symptomatology, AA

- participation and outcome: Retrospective study of the project MATCH outpatient and aftercare samples. *Journal of Studies on Alcohol*, 62, 817–825.
- Dearing, R.L., Barrick, C., Dermen, K.H., & Walitzer, K.S. (2005). Indicators of client engagement: Influences on alcohol treatment satisfaction and outcomes. *Psychology of Addictive Behaviors*, 19, 71–78.
- Dennis, M.L., Scott, C.K., & Hristova, L. (2002). The duration and correlates of substance abuse treatment careers among people entering publicly funded treatment in Chicago. *Drug and Alcohol Dependence*, 66(Suppl. 2), 44.
- Donovan, D.M. (1998). Continuing care: Promoting the maintenance of change. In: W.R. Miller & N. Heather (Eds.), *Treating addictive behaviors* (2nd ed.). New York: Plenum Press.
- Etheridge, R.M., Craddock, S.G., Duntzman, G.H., & Hubbard, R.L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9–26.
- Finney, J.W., Noyes, C.A., Coutts, A.I., & Moos, R.H. (1998). Evaluating substance abuse treatment process models: Changes on proximal outcome variables during 12-step and cognitive-behavioral treatment. *Journal of Studies on Alcohol*, 59, 371–380.
- Foster, L., Brown, R., Phillips, B., Schore, J., Lepidus, R., & Carlson, B. (2003). Improving the quality of Medicaid personal assistance through consumer direction. *Health Affairs Web Exclusive* [serial online], Mar 26. Retrieved from <http://www.healthaffairs.org/WebExclusives/FosterWebExcl032603.htm>
- French, M. T., Salome, H. J., Krupski, A., McKay, J. R., Donovan, D. M., McLellan, A. T., & Durell, J. (2000). Benefit-cost analysis of residential and outpatient addiction treatment in the State of Washington. *Eval Rev*, 24(6), 609-34.
- French, M.T., McGeary, K.A., Chitwood, D.D., & McCoy, C.B. (2000). Chronic illicit drug use, health services utilization and the cost of medical care. *Social Science & Medicine*, 50, 1703–1713.
- French, M.T., Salome, H.J., Sindelar, J.L., & McLellan, A.T. (2002). Benefit-cost analysis of addiction treatment: Methodological guidelines and empirical application using the DATCAP and ASI. *Health Services Research*, 37, 433–455.
- Friedmann, P.D., Hendrickson, J.C., Gerstein, D.R., & Zhang, Z. (2004). The effect of matching comprehensive services to patients' needs on drug use improvement in addiction treatment. *Addiction*, 99(8), 962–972.
- Friedmann, P.D., Hendrickson, J.C., Gerstein, D.R., & Zhang, Z. (2004). Designated case managers as facilitators of medical and psychosocial service delivery in addiction treatment programs. *Journal of Behavior Health Services Research*, 31, 86–97.
- Hser, Y. I., Anglin, M. D., Grella, C., Longshore, D., & Prendergast, M. L. (1997). Drug treatment careers. A conceptual framework and existing research findings. *Journal of Substance Abuse Treatment*, 14(6), 543-58.
- Hser, Y.I., Evans, E., Huang, D., & Anglin, D.M. (2004). Relationship between drug treatment services, retention, and outcomes. *Psychiatric Services*, 55(7), 767–774.
- Hser, Y.I., Grella, C.E., Hsieh, S.C., Anglin, M.D., & Brown, B.S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137–150.
- Hser, Y.I., Joshi, V., Anglin, M.D., & Fletcher, B. (1999). Predicting posttreatment cocaine abstinence for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89, 666–671.
- Hser, Y.I., Polinsky, M.L., Maglione, M., & Anglin, M.D. (1999). Matching clients' needs with drug treatment services. *Journal of Substance Abuse Treatment*, 16, 299–305.
- Humphreys, K., Huebsch, P.D., Finney, J.W., & Moos, R.H. (1999). A comparative evaluation of substance abuse treatment: Substance abuse treatment can enhance the effectiveness of self-help groups. *Alcoholism, Clinical and Experimental Research*, 23, 558–563.
- Ilggen, M., Tiet, Q., Finney, J., & Moos, R.H. (2006). Self-efficacy, therapeutic alliance, and alcohol-use disorder treatment outcomes. *Journal of Studies on Alcohol*, 67(3), 465–472.
- Ilggen, M.A., McKellar, J., Moos, R., & Finney, J.W. (2006). Therapeutic alliance and the relationship between motivation and treatment outcomes in patients with alcohol use disorder. *Journal of Substance Abuse Treatment*, 31(2), 157–162.

- Joe, G.W., Broome, K.M., Rowan-Szal, G.A., & Simpson, D.D. (2002). Measuring patient attributes and engagement in treatment. *Journal of Substance Abuse Treatment, 22*(4), 183–196
- Joe, G.W., Simpson, D.D., & Broome, K.M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence, 57*, 113–125.
- Joe, G.W., Simpson, D.D., Dansereau, D.F., & Rowan-Szal, G.A. (2001). Relationships between counseling rapport and drug abuse treatment outcomes. *Psychiatric Services, 52*, 1223–1229.
- Kasarabada, N.D., Hser, Y.I., Boles, S.M., & Huang, Y.C. (2002). Do patients' perceptions of their counselors influence outcomes of drug treatment? *Journal of Substance Abuse Treatment, 23*(4), 327–334.
- Kingree, J.B. (1995). Understanding gender differences in psychosocial functioning and treatment retention. *American Journal of Drug and Alcohol Abuse, 21*(2), 267–281.
- Kreek, M.J. & Vocci, F.J. (2002). History and current status of opioid maintenance treatments: Blending conference session. *Journal of Substance Abuse Treatment, 23*(2), 93–105.
- Lamb, S., Greenlick, M.R., & McCarty, D. (1998). *Bridging the gap between practice and research: Forging partnerships with community-based drug and alcohol treatment*. Washington, DC: National Academy Press.
- Larimer, M.E., & Kilmer, J.R. (2000). Natural history. In G. Zernig, A. Saria, M. Kurz, & S.S. O'Malley (Eds.), *Handbook of alcoholism* (pp. 13–28). Boca Raton, FL: CRC Press.
- Laudet, A. B., & Stanick, V. (2010). Predictors of motivation for abstinence at the end of outpatient substance abuse treatment. *Journal of Substance Abuse Treatment, 38*(4), 317-327.
- Laudet, A. B., Stanick, V., & Sands, B. (2009). What could the program have done differently? A qualitative examination of reasons for leaving outpatient treatment. *Journal of Substance Abuse Treatment, 37*, 182-190.
- Marsh, J.C., D'Aunno, T.A., & Smith, B.D. (2000). Increasing access and providing social services to improve drug abuse treatment for women with children. *Addiction, 95*, 1237–1247.
- McAlpine, C., Marshall, C.C., & Doran, N.H. (2001). Combining child welfare and substance abuse services: A blended model of intervention. *Child Welfare, 80*, 129–149.
- McCarty, D. (2007). Performance measurement for systems treating alcohol and drug use disorders. *Journal of Substance Abuse Treatment, 33*(4), 353-4.
- McKay, J. R. (2005). Is there a case for extended interventions for alcohol and drug use disorders? *Addiction, 100*(11), 1594-610.
- McKay, J. R., Lynch, K. G., Shepard, D. S., & Pettinati, H. M. (2005). The effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes. *Arch Gen Psychiatry, 62*(2), 199-207.
- McKay, J.R. (2001). Effectiveness of continuing care interventions for substance abusers: Implications for study of long-term treatment effects. *Evaluation Review, 25*(2), 211–232.
- McKay, J.R., Alterman, A.I., McLellan, A.T., & Snider, E.C. (1994). Treatment goals, continuity of care, and outcome in a day hospital substance abuse rehabilitation program. *American Journal of Psychiatry, 151*, 254–259.
- McKay, J.R., Alterman, A.I., Rutherford, M.J., Cacciola, J.S., & McLellan, A.T. (1999). The relationship of alcohol use to cocaine relapse in cocaine dependent patients in an aftercare study. *Journal of Studies on Alcohol, 60*, 176–180.
- McKay, J.R., McLellan, A.T., Alterman, A.I., Cacciola, J.S., Rutherford, M.J., & O'Brien, C.P. (1998). Predictors of participation in aftercare sessions and self-help groups following completion of intensive outpatient treatment for substance abuse. *Journal of Studies on Alcohol, 59*, 152–162.
- McKellar, J., Kelly, J., Harris, A., & Moos, R. (2006). Pretreatment and during treatment risk factors for dropout among patients with substance use disorders. *Addictive Behaviors, 31*(3), 450–60. Epub 2005 Jun 23.
- McLellan, A. T. (2002). Have we evaluated addiction treatment correctly? Implications from a chronic care perspective. *Addiction, 97*(3), 249-52.
- McLellan, A. T., Carise, D., & Kleber, H. D. (2003). Can the national addiction treatment infrastructure support the public's demand for quality care? *Journal of Substance Abuse Treatment, 25*(2), 117-21.
- McLellan, A. T., Chalk, M., & Bartlett, J. (2007). Outcomes, performance, and quality: what's the difference? *Journal of Substance Abuse Treatment, 32*(4), 331-40.

- McLellan, A. T., Kemp, J., Brooks, A., & Carise, D. (2008). Improving public addiction treatment through performance contracting: The Delaware experiment. *Health Policy, 87*(3), 296-308.
- McLellan, A. T., McKay, J. R., Forman, R., Cacciola, J., & Kemp, J. (2005). Reconsidering the evaluation of addiction treatment: from retrospective follow-up to concurrent recovery monitoring. *Addiction, 100*(4), 447-58.
- McLellan, A.T., Alterman, A.I., Metzger, D.S., Grissom, G.R., Woody, G.E., Luborsky, L., et al.. (1994). Similarity of outcome predictors across opiate, cocaine, and alcohol treatments: Role of treatment services. *Journal of Consulting and Clinical Psychology, 62*(6), 1141–1158.
- McLellan, A.T., Grissom, G.R., Brill, P., Durell, J., Metzger, D.S., & O'Brien, C.P. (1993). Private substance abuse treatments: Are some programs more effective than others? *Journal of Substance Abuse Treatment, 10*(3), 243–254.
- McLellan, A.T., Woody, G.E., Metzger, D., McKay, J., Alterman, A.I., & O'Brien, C.P. (1996). Evaluating the effectiveness of addiction treatments: Reasonable expectations, appropriate comparisons. *Milbank Quarterly, 74*(1), 51–85.
- Meier, P.S., Barrowclough, C., & Donmall, M.C. (2005). The role of the therapeutic alliance in the treatment of substance misuse: A critical review of the literature. *Addiction, 100*, 304–316.
- Merzel, C., & D'Afflitti, J. (2003). Reconsidering community-based health promotion: Promise, performance, and potential. *American Journal of Public Health, 93*(4), 557–574.
- Miller, N.S., Ninonuevo, F.G., Klamen, D.L., Hoffmann, N.G., & Smith, D.E. (1997). Integration of treatment and posttreatment variables in predicting results of abstinence-based outpatient treatment after one year. *Journal of Psychoactive Drugs, 29*, 239–248.
- Miller, W. R. (2007). Bring addiction treatment out of the closet . *Addiction, 102*(6), 863.
- Miller, W.R. (1996). Motivational interviewing: Research, practice, and puzzles. *Addictive Behaviors, 21*, 835–842.
- Miller, W.R., & Longabaugh, R. (2002). Summary and conclusions. In T.F. Babor & F.K. Del Boca (Eds.), *Treatment matching in alcoholism*. Cambridge, UK: Cambridge University Press.
- Miller, W.R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change* (2nd ed.). New York: Guilford Press.
- Miller, W.R., & Wilbourne, P.L. (2002). Mesa Grande: A methodological analysis of clinical trials of treatments for alcohol use disorders. *Addiction, 97*, 265–277.
- Miller, W.R., Meyers, R.J., & Hiller-Sturmhofel, S. (1999). The community-reinforcement approach. *Alcohol Research and Health, 23*, 116–121.
- Moos, R. H. (2003). Addictive disorders in context: principles and puzzles of effective treatment and recovery. *Psychol Addict Behav, 17*(1), 3-12.
- Moos, R.H., Finney, J.W., Ouimette, P.C., & Suchinsky, R.T. (1999). A comparative evaluation of substance abuse treatment: I. Treatment orientation, amount of care, and 1-year outcomes. *Alcoholism, Clinical and Experimental Research, 23*, 529–536.
- Moos, R.H., Moos, B.S., Timko, C. (2006). Gender, Treatment, and Self-Help in Remission from Alcohol Use and Disorders. *Clinical Medical Research, 4*, 163-174.
- Morgenstern Morgenstern, J., Hogue, A., Dauber, S., Dasaro, C., & McKay, J. R. (2009b). Does coordinated care management improve employment for substance-using welfare recipients? *Journal of Studies on Alcohol and Drugs, 70*(6), 955-63.
- Morgenstern, J., Blanchard, K. A., McCrady, B. S., McVeigh, K. H., Morgan, T. J., & Pandina, R. J. (2006). Effectiveness of intensive case management for substance-dependent women receiving temporary assistance for needy families. *American Journal of Public Health, 96*(11), 2016-23.
- Morgenstern, J., Hogue, A., Dauber, S., Dasaro, C., & McKay, J. R. (2009a). A practical clinical trial of coordinated care management to treat substance use disorders among public assistance beneficiaries. *Journal of Consulting and Clinical Psychology, 77*(2), 257-69.
- Morgenstern, J., Neighbors, C. J., Kuerbis, A., Riordan, A., Blanchard, K. A., McVeigh, K. H., Morgan, T. J., & McCrady, B. (2009). Improving 24-month abstinence and employment outcomes for substance-dependent women receiving temporary assistance for needy families with intensive case management. *American Journal of Public Health, 99*(2), 328-33.
- National Institute on Drug Abuse. (1999; reprinted 2000). *Principles of drug addiction treatment: A research based guide* (NIH Publication No. 00–4180). Bethesda, MD: National Institutes of Health.

- O'Farrell, T.J., Choquette, K.A., Cutter, H.S., Brown, E.D., & McCourt, W.F. (1993). Behavioral marital therapy with and without additional couples relapse prevention sessions for alcoholics and their wives. *Journal of Studies on Alcohol*, *54*, 652–666.
- Ouimette, P.C., Moos, R.H., & Finney, J.W. (1998). Influence of outpatient treatment and 12-step group involvement on one-year substance abuse treatment outcomes. *Journal of Studies on Alcohol*, *59*, 513–522.
- Parthasarathy, S., Mertens, J., Moore, C., & Weisner, C. (2003). Utilization and cost impact of integrating substance abuse treatment and primary care. *Medical Care*, *41*, 357–367.
- Rapp, R.C., Siegal, H.A., Li, L., & Saha, P. (1998). Predicting post primary treatment services and drug use outcome: A multivariate analysis. *American Journal of Drug and Alcohol Abuse*, *24*, 603–615.
- Rawson, R.A., Obert, J.L., McCann, M.J., & Ling, W. (1991). Psychological approaches for the treatment of cocaine dependence: A neurobehavioral approach. *Journal of Addictive Disorders*, *11*, 97–119.
- Rice, C., Longabaugh, R., Beattie, M., & Noel, N. (1993). Age group differences in response to treatment for problematic alcohol use. *Addiction*, *88*(10), 1369–1375.
- Roter, D.L., Hall, J.A., Merisca, R., Nordstrom, B., Cretin, D., & Svarstad, B. (1998). Effectiveness of interventions to improve patient compliance: A meta-analysis. *Medical Care*, *36*, 1138–1161.
- Rothman, J., Rudnick, D., Slifer, M., Agins, B., Heiner, K., & Birkhead, G. (2007). Co-located substance use treatment and HIV prevention and primary care services, New York State, 1990-2002: A model for effective service delivery to a high-risk population. *Journal of Urban Health*, *84*, 226–242.
- Rusch, N., & Corrigan, P.W. (2002). Motivational interviewing to improve insight and treatment adherence in schizophrenia. *Psychiatric Rehabilitation Journal*, *26*, 23–32.
- Salome, H.J., French, M.T., Miller, M., & McLellan, A.T. (2003). Estimating the client costs of addiction treatment: First findings from the client drug abuse treatment cost analysis program (Client DATCAP). *Drug and Alcohol Dependence*, *71*, 195–206.
- Samet, J.H., Rollnick, S., & Barnes, H. (1996). Beyond CAGE: A brief clinical approach after detection of substance abuse. *Archives of Internal Medicine*, *156*, 2287–2293.
- Satre, D.D., Mertens, J.R., Arean, P.A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction*, *99*, 1286–1297.
- Shoemaker, R.H., & Sherry, P. (1991). Posttreatment factors influencing outcome of adolescent chemical dependency treatment. *Journal of Adolescent Chemical Dependency*, *2*(1), 89–106.
- Siegal, H.A., Fisher, J.H., Rapp, R.C., Kelliher, C.W., Wagner, J.H., O'Brien, W.F., et al. (1996). Enhancing substance abuse treatment with case management: Its impact on employment. *Journal of Substance Abuse Treatment*, *13*(2), 93–98.
- Simpson, D. & Joe, G. (2003). A longitudinal evaluation of treatment engagement and recovery stages. *Journal of Substance Abuse Treatment*, *27*, (2), 89-97.
- Simpson, D.D. (2004). A conceptual framework for drug treatment process and outcomes. *Journal of Substance Abuse Treatment*, *27*, 99–121.
- Simpson, D.D., & Brown, B.S. (Eds.) (1999). Treatment process and outcome studies from DATOS [Special issue]. *Drug and Alcohol Dependence*, *57*.
- Simpson, D.D., & Curry, S.J. (Eds.) (1997). Drug Abuse Treatment Outcome Study (DATOS) [Special issue]. *Psychology of Addictive Behaviors*, *11*.
- Simpson, D.D., Joe, G.W., & Rowan-Szal, G.A. (1997). Drug abuse treatment retention and process effects on follow-up outcomes. *Drug and Alcohol Dependence*, *47*, 227–235.
- Simpson, D.D., Joe, G.W., Fletcher, B.W., Hubbard, R.L., & Anglin, M.D. (1999). A national evaluation of treatment outcomes for cocaine dependence. *Archives of General Psychiatry*, *56*, 507–514.
- Simpson, D.D., Joe, G.W., Greener, J.M., & Rowan-Szal, G.A. (2000). Modeling year 1 outcomes with treatment process and post-treatment social influences. *Substance Use and Misuse*, *35*, 1911–1930.
- Substance Abuse and Mental Health Services Administration. (2004) *National Outcome Measures (NOMs)* <http://www.nationaloutcomemeasures.samhsa.gov/welcome.asp>.
- Swanson, A.J., Pantaloni, M.V., & Cohen, K.R. (1999). Motivational interviewing and treatment adherence among psychiatric and dually diagnosed patients. *Journal of Nervous and Mental Disease*, *187*, 630–635.

- Swick, K.J. (1992). *A descriptive assessment of project FOCUS' home visit program*. (ERIC Document Reproduction Service No. ED 346962)
- Timko, C., & Sempel, J.M. (2004). Intensity of acute services, self-help attendance and one-year outcomes among dual diagnosis patients. *Journal of Studies on Alcohol*, 65, 274–282.
- Tonigan, J.S., Miller, W.R., & Conners, G.J. (2001). The search for meaning in life as a predictor of alcoholism treatment outcome. In R. Longabaugh & P.W. Wirtz (Eds.), *Project MATCH Monograph Series: Vol. 8. Project MATCH hypotheses: Results and causal chain analysis* (pp. 154–165). Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Uziel-Miller, N.D., Lyons, J.S., Kissiel, C., & Love, S. (1998). Treatment needs and initial outcomes of a residential recovery program for African-American women and their children. *American Journal of Addictions*, 7, 43–50.
- Vanicelli, M. (1978). Impact of aftercare in the treatment of alcoholics: A cross-lagged panel analysis. *Journal of Studies on Alcohol*, 39, 1875–1886.
- Washington Circle. (2007) *A Brief Overview of The Forum on Performance Measures in Behavioral Healthcare*. <http://www.washingtoncircle.org/pdfs/perfMeasures.pdf>
- Wechsberg, W.M., Craddock, S.G., & Hubbard, R.L. (1998). How are women who enter substance abuse treatment different than men? A gender comparison from the Drug Abuse Treatment Outcome Study (DATOS). *Drugs and Society*, 13(1/2), 97–115.
- Weingarten, S.R., Henning, J.M., Badamgarav, E., Knight, K., Hasselblad, V., Gano, A., Jr., et al. (2002). Interventions used in disease management programmes for patients with chronic illness—which ones work? Meta-analysis of published reports. *British Medical Journal*, 325, 925.
- Weisner, C., Matzger, H., & Kaskutas, L.A. (2003). How important is treatment? One-year outcomes of treated and untreated alcohol-dependent individuals. *Addiction*, 98, 901–911.
- Weisner, C., Mertens, J., Parthasarathy, S., Moore, C., & Lu, Y. (2001). Integrating primary medical care with addiction treatment: A randomized controlled trial. *JAMA*, 286, 1715–1723.
- Winkelman, M. (2003). Complementary therapy for addiction: “Drumming out drugs.” *American Journal of Public Health*, 93, 647–651.
- Zarkin, G. A., Dunlap, L. J., Hicks, K. A., & Mamo, D. (2005). Benefits and costs of methadone treatment: results from a lifetime simulation model. *Health Econ*, 14(11), 1133-50.
- Zarkin, G.A., Bray, J.W., Mitra, D., Cisler, R.A., & Kivlahan, D.F. (2005). Cost methodology of COMBINE. *Journal of Studies on Alcohol Supplement*, 15, 50-55.

Treatment: Medication-assisted

- Azrin, N.H., Sisson, R.W., Meyers, R., & Godley, M. (1982). Alcoholism treatment by disulfiram and community reinforcement therapy. *Journal of Behavior Therapy and Experimental Psychiatry*, 13, 105–112.
- Anton, R. F., O'Malley, S. S., Ciraulo, D. A., Cisler, R. A., Couper, D., Donovan, D. M., Gastfriend, D. R., Hosking, J. D., Johnson, B. A., LoCastro, J. S., Longabaugh, R., Mason, B. J., Mattson, M. E., Miller, W. R., Pettinati, H. M., Randall, C. L., Swift, R., Weiss, R. D., Williams, L. D., & Zweben, A. (2006). Combined pharmacotherapies and behavioral interventions for alcohol dependence: the COMBINE study: a randomized controlled trial. *JAMA*, 295(17), 2003-17.
- Azrin, N.H., Sisson, R.W., Meyers, R., & Godley, M. (1982). Alcoholism treatment by disulfiram and community reinforcement therapy. *Journal of Behavior Therapy and Experimental Psychiatry*, 13, 105–112.
- Belding, M.A., Iguchi, M.Y., Morral, A.R., & McLellan, A.T. (1997). Assessing the helping alliance and its impact in the treatment of opiate dependence. *Drug and Alcohol Dependence*, 48, 51–59.
- Brecht, M.L., Anglin, M.D., & Wang, J.C. (1993). Treatment effectiveness for legally coerced versus voluntary methadone maintenance clients. *American Journal of Drug and Alcohol Abuse*, 19, 89–106.
- National Consensus Development Panel on Effective Medical Treatment of Opiate Addiction. (1998). Effective medical treatment of opiate addiction. *JAMA*, 280, 1936–1943.
- Pelletier, L. R., & Hoffman, J. A. (2001). New Federal Regulations for Improving Quality in Opioid Treatment Programs. *Journal for Healthcare Quality*, 23(6), 29-34.

Petry, N.M., & Bickel, W.K. (1999). Therapeutic alliance and psychiatric severity as predictors of completion of treatment for opioid dependence. *Psychiatric Services, 50*, 219–227.

SPECIAL POPULATIONS

Criminal Justice

- Butzin, C.A., Martin, S.S., & Inciardi, J.A. (2002). Evaluating component effects of a prison-based treatment continuum. *Journal of Substance Abuse Treatment, 22*, 63–69.
- Butzin, C.A., Martin, S.S., & Inciardi, J.A. (2002). Evaluating component effects of a prison-based treatment continuum. *Journal of Substance Abuse Treatment, 22*, 63–69.
- Garnick, D. W., Horgan, C. M., Lee, M. T., Panas, L., Ritter, G. A., Davis, S., Leeper, T., Moore, R., & Reynolds, M. (2007). Are Washington Circle performance measures associated with decreased criminal activity following treatment? *Journal of Substance Abuse Treatment, 33*(4), 341-52.
- Harrison, L.D. (2001). The revolving prison door for drug involved offenders: Challenges and opportunities. *Crime & Delinquency, 47*(3), 462–485.
- Harrison, L.D. (2001). The revolving prison door for drug involved offenders: Challenges and opportunities. *Crime & Delinquency, 47*(3), 462–485.
- Knight, K., Simpson, D.D., & Hiller, M. (1999). Three-year reincarceration outcomes for in-prison therapeutic community treatment in Texas. *Prison Journal, 79*, 337–351.
- Sung, H.E., & Richter, L. (2006). Contextual barriers to successful reentry of recovering drug offenders. *Journal of Substance Abuse Treatment, 31*, 365–374.
- Siegal, H.A., Li, L., & Rapp, R.C. (2002). Case management as a therapeutic enhancement: Impact on post-treatment criminality. *Journal of Addictive Disorders, 21*(4), 37–46.

Women/Gender Differences

- Anglin, M.D., Hser, Y.I., & Booth, M.W. (1987). Sex differences in addict careers. 4. Treatment. *American Journal of Drug and Alcohol Abuse, 13*, 253–280.
- Carten, A.J. (1996). Mothers in recovery: Rebuilding families in the aftermath of addiction. *Social Work, 41*, 214–223.
- Ehrmin, J.T. (2005). Dimensions of culture care for substance-dependent African American women. *Journal of Transcultural Nursing, 16*, 117–125.
- Grella, C.E., & Joshi, V. (1999). Gender differences in drug treatment careers among clients in the National Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse, 25*(3), 385–406.
- Laudet, A. B., Magura, S., Furst, R.T., Kumar, N. & Whitney, S. (1999) Male partners of substance-abusing women in treatment. *Amer. J. of Drug & Alcohol Abuse, 25*(4), 607-627.
- Magura, S., Laudet, A., Kang, S.Y. & Whitney, S. (1999) Effectiveness of intensive services for crack-dependent women with newborns and young children. *J. of Psychoactive Drugs, 31*(4), 321-339
- Marsh, J.C., D'Aunno, T.A., & Smith, B.D. (2000). Increasing access and providing social services to improve drug abuse treatment for women with children. *Addiction, 95*, 1237–1247.
- Moos, R.H., Moos, B.S., Timko, C. (2006). Gender, Treatment, and Self-Help in Remission from Alcohol Use and Disorders. *Clinical Medical Research, 4*, 163-174.
- Morgenstern, J., Neighbors, C. J., Kuerbis, A., Riordan, A., Blanchard, K. A., McVeigh, K. H., Morgan, T. J., & McCrady, B. (2009). Improving 24-month abstinence and employment outcomes for substance-dependent women receiving temporary assistance for needy families with intensive case management. *American Journal of Public Health, 99*(2), 328-33.
- Peterson, S., Berkowitz, G., Cart, C.U., & Brindis, C. (2002). Native American women in alcohol and substance abuse treatment. *Journal of Health Care for the Poor and Underserved, 13*, 360–378.
- Uziel-Miller, N.D., Lyons, J.S., Kissiel, C., & Love, S. (1998). Treatment needs and initial outcomes of a residential recovery program for African-American women and their children. *American Journal of Addictions, 7*, 43–50.

- Wechsberg, W.M., Craddock, S.G., & Hubbard, R.L. (1998). How are women who enter substance abuse treatment different than men? A gender comparison from the Drug Abuse Treatment Outcome Study (DATOS). *Drugs and Society*, 13(1/2), 97–115.
- Wingo, L.K. (2001). Substance abuse in African American women. *Journal of Cultural Diversity*, 8, 21–25.

LGBTQ

- Matthews, C.R., Lorah, P., & Fenton, J. (2006). Treatment experiences of gays and lesbians in recovery from addiction: A qualitative inquiry. *Journal of Mental Health Counseling*, 28(2), 111–132.
- Pruden, Harlan. (2008) *Recovery-oriented Systems of Care from a Two Spirit Perspective*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html.

Ethnic/Racial Minorities

- Bowser, B.P., & Bilal, R. (2001). Drug treatment effectiveness: African-American culture in recovery. *Journal of Psychoactive Drugs*, 33, 391–402.
- Brach, C., & Fraser, I. (2000). Can cultural competency reduce racial and ethnic health disparities? A review and conceptual model. *Medical Care Research Review*, 57 (S1): 181–217.
- Campbell, C.I., & Alexander, J.A. (2002). Culturally competent treatment practices and ancillary service use in outpatient substance abuse treatment. *Journal of Substance Abuse Treatment*, 22(3), 109–119.
- Cheung, F.K., & Snowden, L.R. (1990). Community mental health and ethnic minority populations. *Community Mental Health Journal*, 26, 277–291.
- Ehrmin, J.T. (2005). Dimensions of culture care for substance-dependent African American women. *Journal of Transcultural Nursing*, 16, 117–125.
- Ford, E.S., & Cooper, R.S. (1995). Implications of race/ethnicity for health and health care use. *Health Services Research*, 30(1), 237–252.
- Hyun, M.S., Kools, S., & Kim, S.A. (2003). A model of recovery from substance abuse and dependence for Korean adolescents. *Journal of Child and Adolescent Psychiatric Nursing*, 16(1), 25–34.
- Kington, R.S., & Smith, J.P. (1997). Socioeconomic status and racial and ethnic differences in functional status associated with chronic diseases. *American Journal of Public Health*, 87(5), 805–810.
- Lowery, C.T. (1998). American Indian perspectives on addiction and recovery. *Health and Social Work*, 23, 127–135.
- May Lay, Ting Fun. (2008). *Barriers & Challenges in Substance Abuse Recovery Among Asian-Americans*. [powerpoint slides] Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html
- Office of Minority Health (2001). *National standards for culturally and linguistically appropriate services in health care: Final report*. Rockville, MD: U.S. Department of Health and Human Services. Retrieved from <http://www.omhrc.gov/templates/browse.aspx?lvl=2&lvlID=15>.
- Office of the Surgeon General. (2001). *Mental Health: Culture, race, and ethnicity: A supplement to mental health: A report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Services.
- Peterson, S., Berkowitz, G., Cart, C.U., & Brindis, C. (2002). Native American women in alcohol and substance abuse treatment. *Journal of Health Care for the Poor and Underserved*, 13, 360–378.
- Pruden, Harlan. (2008) *Recovery-oriented Systems of Care from a Two Spirit Perspective*. [powerpoint slides]. Retrieved from http://www.ireta.org/ireta_main/recovery-symposium.html.
- Uziel-Miller, N.D., Lyons, J.S., Kissiel, C., & Love, S. (1998). Treatment needs and initial outcomes of a residential recovery program for African-American women and their children. *American Journal of Addictions*, 7, 43–50.
- Gornick, M.E., Eggers, P.W., Reilly, T.W., Mentnech, R.M., Fitterman, L.K., Kucken, L.E., et al. (1996). Effects of race and income on mortality and use of services among Medicare beneficiaries. *New England Journal of Medicine*, 335(11), 791–799.

Wingo, L.K. (2001). Substance abuse in African American women. *Journal of Cultural Diversity*, 8, 21–25.

Youth & Adolescents

- Berk, L.E. (2007). *Development through the lifespan* (4th ed.). Boston: Allyn & Bacon.
- Brown, S.A., D'Amico, E.J., McCarthy, D.M., & Tapert, S.F. (2001). Four-year outcomes from adolescent alcohol and drug treatment. *Journal of Studies on Alcohol*, 62, 381–388.
- Brown, S.A., Gleghorn, A., Schuckit, M.A., Myers, M.G., & Mott, M.A. (1996). Conduct disorder among adolescent alcohol and drug abusers. *Journal of Studies on Alcohol*, 57, 314–324.
- Catalano, R.F., Hawkins, J.D., Wells, E.A., Miller, J., & Brewer, D. (1991). Evaluation of the effectiveness of adolescent drug abuse treatment, assessment of risks for relapse, and promising approaches for relapse prevention. *International Journal of the Addictions*, 25, 1085–1140.
- Diamond, G.M., Diamond, G.S., & Liddle, H.A. (2000). The therapist-parent alliance in family-based therapy for adolescents. *Journal of Clinical Psychology*, 56, 1037–1050.
- Fortney, J.C., Booth, B.M., Blow, F.C., & Bunn, J.Y. (1995). The effects of travel barriers and age on the utilization of alcoholism treatment aftercare. *American Journal of Drug and Alcohol Abuse*, 21, 391–406.
- Godley, M.D., Godley, S.H., Dennis, M., Funk, R., & Passeti, L.L. (2007). The effect of assertive continuing care on continuing care linkage, adherence and abstinence following residential treatment for adolescents with substance use disorders. *Addiction*, 102, 81–93.
- Godley, M.D., Godley, S.H., Dennis, M.L., Funk, R., & Passeti, L.L. (2002). Preliminary outcomes from the assertive continuing care experiment for adolescents discharged from residential treatment. *Journal of Substance Abuse Treatment*, 23, 21–32.
- Godley, S. H., Dennis, M. L., Godley, M. D., & Funk, R. R. (2004). Thirty-month relapse trajectory cluster groups among adolescents discharged from out-patient treatment. *Addiction*, 99 Suppl 2, 129-39.
- Grunbaum, J.A., Tortolero, S., Weller, N., & Gingiss, P. (2000). Cultural, social, and intrapersonal factors associated with substance use among alternative high school students. *Addictive Behaviors*, 25, 145–151.
- Hyun, M.S., Kools, S., & Kim, S.A. (2003). A model of recovery from substance abuse and dependence for Korean adolescents. *Journal of Child and Adolescent Psychiatric Nursing*, 16(1), 25–34.
- Margolis, R., Kilpatrick, A., & Mooney, B. (2000). A retrospective look at long-term adolescent recovery: Clinicians talk to researchers. *Journal of Psychoactive Drugs*, 32, 117–125.
- Rice, C., Longabaugh, R., Beattie, M., & Noel, N. (1993). Age group differences in response to treatment for problematic alcohol use. *Addiction*, 88(10), 1369–1375.
- Richter, S.S., Brown, S.A., & Mott, M.A. (1991). The impact of social support and self-esteem on adolescent substance abuse treatment outcome. *Journal of Substance Abuse*, 3, 371–385.
- Satre, D.D., Mertens, J.R., Arean, P.A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction*, 99, 1286–1297.
- Shoemaker, R.H., & Sherry, P. (1991). Posttreatment factors influencing outcome of adolescent chemical dependency treatment. *Journal of Adolescent Chemical Dependency*, 2(1), 89–106.

Older People

- Bartels, S.J., Blow, F.C., Brockmann, L.M., & Van Citters, A.D. (2005). *Substance abuse and mental health among older Americans: The state of the knowledge and future directions*. Rockville, MD: Westat.
- Benshoff, J.J., Harrawood, L.K., & Koch, D.S. (2003). Substance abuse and the elderly: Unique issues and concerns. *Journal of Rehabilitation*, 69, 43–48.
- Berk, L.E. (2007). *Development through the lifespan* (4th ed.). Boston: Allyn & Bacon.

- Blow, F.C., Walton, M.A., Chermack, S.T., Mudd, S.A., & Brower, K.J. (2000). Older adult treatment outcome following elder-specific inpatient alcoholism treatment. *Journal of Substance Abuse Treatment, 19*(1), 67–75.
- Rice, C., Longabaugh, R., Beattie, M., & Noel, N. (1993). Age group differences in response to treatment for problematic alcohol use. *Addiction, 88*(10), 1369–1375.
- Satre, D.D., Mertens, J.R., Aream, P.A., & Weisner, C. (2004). Five-year alcohol and drug treatment outcomes of older adults versus middle-aged and younger adults in a managed care program. *Addiction, 99*, 1286–1297.
- Schonfeld, L., & Dupree, L.W. (1995). Treatment approaches for older problem drinkers. *International Journal of the Addictions, 30*(13–14), 1819–1842.
- Schutte, K.K., Nichols, K.A., Brennan, P.L., & Moos, R.H. (2003). A ten-year follow-up of older problem drinkers: Risk of relapse and implications of successfully sustained remission. *Journal of Studies on Alcohol, 64*(3), 367–374.
- Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (June 17, 2010). *The TEDS Report: Changing Substance Abuse Patterns among Older Admissions: 1992 and 2008*. Rockville, MD. <http://oas.samhsa.gov/2k10/229/229OlderAdms2k10.htm>

Co-Occurring/Dual Diagnosis

- Alverson, H., Alverson, M., & Drake, R.E. (2000). An ethnographic study of the longitudinal course of substance abuse among people with severe mental illness. *Community Mental Health Journal, 36*, 557–569.
- Alverson, H., Alverson, M., & Drake, R.E. (2001). Social patterns of substance use among people with dual diagnoses. *Mental Health Services Research, 3*, 3–14.
- Barreira, P., Espey, B., Fishbein, R., Moran, D., & Flannery, R.B. (2000). Linking substance abuse and serious mental illness service delivery systems: Initiating a statewide collaborative. *Journal of Behavioral Health Services & Research, 27*(1), 107–113.
- Bartels, S.J., Blow, F.C., Brockmann, L.M., & Van Citters, A.D. (2005). *Substance abuse and mental health among older Americans: The state of the knowledge and future directions*. Rockville, MD: Westat.
- Blankertz, L., McKay, C., & Robinson, S. (1998). Work as a rehabilitative tool for individuals with dual diagnosis. *Journal of Vocational Rehabilitation, 11*, 113–123.
- Bradizza, C.M., & Stasiewicz, P.R. (2003). Qualitative analysis of high-risk drug and alcohol use situations among severely mentally ill substance abusers. *Addictive Behaviors, 28*, 157–169.
- Bradizza, C.M., Stasiewicz, P.R., & Carey, K.B. (1998). High-risk alcohol and drug use situations among seriously mentally ill inpatients: A preliminary investigation. *Addictive Behaviors, 23*, 555–560.
- Brizer, D.A. (1993). Religiosity and drug abuse among psychiatric inpatients. *American Journal of Drug and Alcohol Abuse, 19*, 337–345.
- Brooks, A.J., & Penn, P.E. (2003). Comparing treatments for dual diagnosis: Twelve-step and self-management and recovery training. *American Journal of Drug and Alcohol Abuse, 29*, 359–383.
- Davis, K.E., & O'Neill, S.J. (2005). A focus group analysis of relapse prevention strategies for persons with substance use and mental disorders. *Psychiatric Services, 56*, 1288–1291.
- Drake, R.E., Wallach, M.A., & McGovern, M.P. (2005). Future directions in preventing relapse to substance abuse among clients with severe mental illnesses. *Psychiatric Services, 56*, 1297–1302.
- Druss, B.G., & von Esenwein, S.A. (2006). Improving general medical care for persons with mental and addictive disorders: Systematic review. *General Hospital Psychiatry, 28*, 145–153.
- Fisher, D. (1994). Health care reform based on an empowerment model of recovery by people with psychiatric disabilities. *Hospital and Community Psychology, 45*(9), 913–915.
- Galanter, M., Dermatis, H., Egelko, S., & De Leon, G. (1998). Homelessness and mental illness in a professional- and peer-led cocaine treatment clinic. *Psychiatric Services, 49*(4), 533–535.
- Hewitt, A. (2004). *Post-traumatic growth in substance misuse*. Annegatan, Finland: Nordic Counsel for Alcohol and Drug Research.

- Kessler, R.C. (1994). The National Comorbidity Survey of the United States. *International Review of Psychiatry*, 6, 365–376.
- Kessler, R.C., Berglund, P., Demler, O., Jin, R., Merikangas, K.R., & Walters, E.E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 593–602.
- Laudet, A., Magura, S., Vogel, H. & Knight, E. (2000) Recovery challenges among dually-diagnosed individuals. *Journal of Substance Abuse Treatment*, 18(4), 321-329.
- Laudet, A., Magura, S., Vogel, H., & Knight, E. (2000) Support, mutual aid and recovery from dual diagnosis. *Community Mental Health Journal*, 36(5), 457-476.
- Laudet, A., Magura, S., Vogel, H., & Knight, E. (2002) Interest in and obstacles to pursuing work among unemployed dually-diagnosed individuals. *Substance Use and Misuse*, 37(2), 145 –170.
- Laudet, A., Magura, S., Cleland, C., Vogel, H., & Knight, E. (2003) Predictors of Retention in Dual-Focus Self-Help Groups. *Community Mental Health Journal*, 39(4), 281-297.
- Laudet, A., Magura, S., Vogel, H., & Knight, E. (2003) Participation in 12-Step-based Fellowships among Dually-Diagnosed Persons. *Alcoholism Treatment Quarterly*, 21(2), 19-39.
- Laudet, A., Magura, S., Vogel, H., & Knight, E. (2004) Perceived reasons for substance use among persons with a psychiatric disorder. *American Journal of Orthopsychiatry*, 74(3), 365–375.
- Laudet, A., Magura, S., Cleland, C., Vogel, H., Knight, E. and Rosenblum, A. (2004) The Effect of 12-step-based Fellowship Participation on Abstinence among Dually-Diagnosed Persons: A Two Year Longitudinal Study. *Journal of Psychoactive Drugs*, 36(2).
- Laudet, A., Magura, S., Cleland, C., Vogel, H., and Knight, E. (2004) Social support mediates the effects of mutual aid on abstinence. *Amer. Journal of Community Psy.*, 34, 3/4 , 175-185.
- Magura, S., Laudet, A., Mahmood, D., Rosenblum, A. and Knight, E. (2002) Medication adherence and participation in self-help groups designed for dually-diagnosed persons. *Psych Serv.*, 53(3), 310-316.
- Magura, S., Laudet, A., Mahmood, D., Rosenblum, A., Vogel H. and Knight, E. (2003) The role of self-help processes on achieving abstinence in dual recovery. *Addictive Behav.*, 28(3): 399-413.
- Magura S, Knight E, Vogel H, Mahmood D, Laudet A, Rosenblum A. (2003) Mediators of effectiveness in dual-focus self-help groups. *Am. J. Drug Alcohol Abuse*, 29: (2) 301-322.
- Magura, S., Cleland, C., Vogel, H., Knight, E., & Laudet, A. (2007). Effects of "Dual Focus" Mutual Aid on Self-Efficacy for Recovery and Quality of Life. *Adm & Policy in Mental Health and Mental Health Services Research*, 34(1):1-12.
- Minkoff, K., & Cline, C.A. (2004). Changing the world: The design and implementation of comprehensive continuous integrated systems of care for individuals with co-occurring disorders. *Psychiatric Clinics of North America*, 27(4), 727–743.
- Moggi, F., Hirsbrunner, H.P., Brodbeck, J., & Bachmann, K.M. (1999). One-year outcome of an integrative inpatient treatment for dual diagnosis patients. *Addictive Behaviors*, 24(4), 589–592.
- Petry, N.M., & Bickel, W.K. (1999). Therapeutic alliance and psychiatric severity as predictors of completion of treatment for opioid dependence. *Psychiatric Services*, 50, 219–227.
- Swindle, R.W., Phibbs, C.S., Paradise, M.J., Recine, B.P., & Moos, R.H. (1995). Inpatient treatment for substance abuse patients with psychiatric disorders: A national study of determinants of readmission. *Journal of Substance Abuse*, 7(1), 79–97.
- Timko, C., & Sempel, J.M. (2004). Intensity of acute services, self-help attendance and one-year outcomes among dual diagnosis patients. *Journal of Studies on Alcohol*, 65, 274–282.
- Vogel, H. S., Knight, E., Laudet, A. B. & Magura, S. (1998) Double Trouble in Recovery: Self-help for the dually-diagnosed. *Psychiatric Rehabilitation Journal*, 21(4), 356-364.